

1	2	3	4	5	6	7	8																
A					DATE	D.A.NO	NATURE	SIGN															
					16.7.09	124/09	IN MATL. GRADE 'A' ALTERED TO GRADE 'C'	 16/7/09															
B	<p>ACTUAL SIZE</p>							B															
								C															
C	<p>NOTE :-</p> <ol style="list-style-type: none"> SURFACE MARKED THUS '▽' INDICATES MACHINING AT OUR END. SHARP CORNERS MAY BE AVOIDED, UN SPECIFIED FILLET RADII 0.5mm (MAX.) CAST MARK "IC" SHOULD BE GIVEN AT PLACE MARKED. ⊗ ALONGWITH MANUFACTURER'S INITIAL, BATCH No. & YEAR OF MANUFACTURE CASTING SHOULD BE SUPPLIED IN FULLY ANNEALED CONDITION. SETTING TO BE CARRIED OUT BY SUPPLIER. DIMNS. ARE IN m.m. CASTING SHOULD BE FREE FROM CRACKS, BLOW HOLES AND ANY OTHER SURFACE DEFECTS. BEFORE BULK PRODUCTION CLEARANCE WILL BE GIVEN. PILOT BATCH OF 10 CASTINGS WILL BE REQUIRED TO BE SUBMITTED ALONGWITH THE DIMENSIONAL CRITICAL EXAMINATION REPORT AND MATERIAL TEST CERTIFICATE. IF THE PILOT BATCH IS NOT ACCEPTABLE FURTHER BATCHES OF 10 EACH WILL BE REQUIRED TILL CLEARANCE IS GIVEN TO START BULK PRODUCTION. ALONGWITH THE BULK SUPPLY THE MATERIAL TEST CERTIFICATE AND CHEMICAL ANALYSIS REPORT WILL BE REQUIRED TO BE FURNISHED FOR EACH CAST/ HEAT. OF MATERIAL USED FOR POURING OF CASTINGS. ADEQUATE CARE SHOULD BE TAKEN TO ENSURE THAT THERE IS NO DECARBURISATION OF THE CASTINGS. 100% CASTING WILL BE REQUIRED TO BE TESTED FOR MAGNETIC CRACK DETECTION TO ENSURE THAT CASTINGS ARE FREE FROM CRACKS. APPROXIMATE WEIGHT : 30 g 							C															
D								D															
<p>MATERIAL :- B.S. 3146 PART -1: 1974 TYPE CLA 12 GRADE 'C'</p> <p>HEAT TREATMENT- ANNEALING</p> <p>(TEST PIECE IS TO BE TESTED FROM ONE CASTING DULY HARDENED AND TEMPERED FROM EACH CAST FOR MECHANICAL PROPERTIES STIPULATED IN THE SPECIFICATION.)</p> <p>UNSPECIFIED TOL :- ± 0.10m.m. FOR EACH 25 m.m.</p> <p>ANGULAR TOL :- ± 30'</p> <p>MIN. FILLET RADIUS :- 0.3 m.m.</p> <p>FLATNESS ±0.1/25mm</p>					<p style="text-align: center;">REVOLVER 32 (7.65mm) MK-III</p> <p style="text-align: center;">TRIGGER DRG.No. PHMK-III-7-1</p> <p style="text-align: center;">SKETCH FOR INVESTMENT CASTING</p>			E															
								F															
<p style="text-align: center;">SCALE</p> <p style="text-align: center;">2 : 1 (1:1)</p> <p style="text-align: center;"> </p>					<p style="text-align: center;">SMALL ARMS FACTORY</p> <p style="text-align: center;">KANPUR</p>			F															
								G															
					<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:33%;">DRAWN</td> <td style="width:33%;">TRACED</td> <td style="width:33%;">CHECKED</td> </tr> <tr> <td style="text-align: center;"> K.A.L. </td> <td></td> <td style="text-align: center;"> </td> </tr> <tr> <td colspan="2">DATE</td> <td style="text-align: center;">24-05-2006</td> </tr> <tr> <td colspan="3">APPROVED</td> </tr> <tr> <td colspan="3" style="text-align: right;">J.W.M./DO.</td> </tr> </table>			DRAWN	TRACED	CHECKED	 K.A.L.		 	DATE		24-05-2006	APPROVED			J.W.M./DO.			G
					DRAWN	TRACED	CHECKED																
 K.A.L.		 																					
DATE		24-05-2006																					
APPROVED																							
J.W.M./DO.																							
					<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:33%;">DRG. NO.</td> <td colspan="2"></td> </tr> <tr> <td style="text-align: center;">SK-5378R</td> <td colspan="2"></td> </tr> <tr> <td>SHT.</td> <td style="text-align: center;">1</td> <td style="text-align: center;">OF 1</td> </tr> </table>			DRG. NO.			SK-5378R			SHT.	1	OF 1	H						
					DRG. NO.																		
SK-5378R																							
SHT.	1	OF 1																					
1	2	3	4	5	6	7	8																