

Munitions India Limited A Government Of India Enterprise Ministry Of Defence Pune, Maharashtra

CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that M/s MAX STEELS, 32/34, KESHAV BHAVAN, 2ND FLOOR, 1ST CARPENTER STREET CP TANK MUMBAI Maharashtra is registered at Munitions India Limited for following Items.

SI. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Ordnance Factory Ambajhari	STEEL ROD 32 0 50 MM DIA X 1200 5 MM LONG TO IS 2062 200 GRADE E 250 QUALITY A OR B OR C 0142450032 Description : STEEL ROD 32 0 50 MM DIA X 1200 5 MM LONG TO IS 2062 200 GRADE E 250 QUALITY A OR B OR C 0142450032 [ENR Registration]	24-06-2019
2		PLATE 12 0 5 MM X 1000MM X 770MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142451277 Description : PLATE 12 0 5 MM X 1000MM X 770MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142451277 [ENR Registration]	24-06-2019
3		PLATE 25MM THICK X 880MM X 650MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142452588 Description : PLATE 25MM THICK X 880MM X 650MM STEEL TO IS 2062 2006 GRADE E 250 QUALITY A OR B OR C 0142452588 [ENR Registration]	24-06-2019
4		AL ALLOY PLATE OF 3 MM THICK X 1200 MM WIDTH X 1800 MM LENGTH OR ITS MULTIPLE LENGTH OF AL ALLOY GRADE 24345 HE 15 WP CONDITION AS PER IS 737 0660453210 Description: AL ALLOY PLATE OF 3 MM THICK X 1200 MM WIDTH X 1800 MM LENGTH OR ITS MULTIPLE LENGTH OF AL ALLOY GRADE 24345 HE 15 WP CONDITION AS PER IS 737 0660453210 [ENR Registration]	24-06-2019

_	1		
5		ALUMINIUM ALLOY PLATE TO IS 733 1983 REV 3 GRADE 19500 OR 19000 OF SIZE 6MM THICKNESS X 1000 MM WIDTH X 2500 MM LONG IN M CONDITION 0660456025 Description: ALUMINIUM ALLOY PLATE TO IS 733 1983 REV 3 GRADE 19500 OR 19000 OF SIZE 6MM THICKNESS X 1000 MM WIDTH X 2500 MM LONG IN M CONDITION 0660456025 [ENR Registration]	24-06-2019
6		AL ALLOY WELDING WIRE GRILUMIN S MG 45 SIZE 1 POINT 6 MM DIA TO DIN SPECN 1732 SG AL MG 4 POINT 5 MN ZR 3 POINT 3546 Description : AL ALLOY WELDING WIRE GRILUMIN S MG 45 SIZE 1 POINT 6 MM DIA TO DIN SPECN 1732 SG AL MG 4 POINT 5 MN ZR 3 POINT 3546 [ENR Registration]	24-06-2019
7		SEAMLESS STEEL TUBE TO SPECN DIN 2391 OF SIZE 134 point 5 MM OD X 9 point 5 MM THICK X 1250 MM LONG STEEL HAVING PROP UTS 52 KGF per MM SQ MIN YIELD STRENGTH 36 KGF per MM SQ MIN percent ELONGATION 22 percent ON GAUGE LENGTH 5 point 65 SQ ROOT AREA Description: SEAMLESS STEEL TUBE TO SPECN DIN 2391 OF SIZE 134 point 5 MM OD X 9 point 5 MM THICK X 1250 MM LONG STEEL HAVING PROP UTS 52 KGF per MM SQ MIN YIELD STRENGTH 36 KGF per MM SQ MIN percent ELONGATION 22 percent ON GAUGE LENGTH 5 point 65 SQ ROOT AREA [ENR Registration]	24-06-2019
8		FORGED CARBON STEEL ROUND TO SPECN IS1570 C40 IN NORMALISED CONDITION IN STRAIGHT LENGTH OF 2 TO 3 METER SIZE 60MM DIA PLUS OR MINUS 2MM Description: FORGED CARBON STEEL ROUND TO SPECN IS1570 C40 IN NORMALISED CONDITION IN STRAIGHT LENGTH OF 2 TO 3 METER SIZE 60MM DIA PLUS OR MINUS 2MM [ENR Registration]	23-11-2020
9		OFE COPPER ROD AS PER EN 13604 CW009A CONDITION D SIZE 50 MM DIA Description : OFE COPPER ROD AS PER EN 13604 CW009A CONDITION D SIZE 50 MM DIA [ENR Registration]	01-02-2021
10		OFE COPPER ROD AS PER SPECIFICATION ASTM B 170 GRADE I SIZE 45 MM DIA Description: OFE COPPER ROD AS PER SPECIFICATION ASTM B 170 GRADE I SIZE 45 MM DIA [ENR Registration]	11-02-2021

11		GROUND STAINLESS STEEL ROD TO SPECIFICATION SS EN 10088 3 1 4523 A SIZE 12 MM DIA IN STRAIGHT LENGTH OF 2 TO 3 METRES Description: GROUND STAINLESS STEEL ROD TO SPECIFICATION SS EN 10088 3 1 4523 A SIZE 12 MM DIA IN STRAIGHT LENGTH OF 2 TO 3 METRES [ENR Registration]	08-10-2021
12		OXYGEN FREE COPPER STRIP TO SPECN BS 2870 1980 GRADE C103 CONDITION 1 2 H HAVING STRAIGHT LENGTH OF 2 5 TO 3 MT SIZE 92 1MM WIDE X 4 0 1 MM THICK Description : OXYGEN FREE COPPER STRIP TO SPECN BS 2870 1980 GRADE C103 CONDITION 1 2 H HAVING STRAIGHT LENGTH OF 2 5 TO 3 MT SIZE 92 1MM WIDE X 4 0 1 MM THICK [ENR Registration]	30-10-2021
13		ALUMINIUM ALLOY AL ZN 4 5 MG 1F 35 DIN 1725 1 SPECN EXTRUDED HOLLOW PROFILE IN LENGTH OF 4850 20MM FOR KERB AS PER DRG NO VLW 31416 AND SCOPE OF SUPPLY AS PER ANNEXURE B Description: ALUMINIUM ALLOY AL ZN 4 5 MG 1F 35 DIN 1725 1 SPECN EXTRUDED HOLLOW PROFILE IN LENGTH OF 4850 20MM FOR KERB AS PER DRG NO VLW 31416 AND SCOPE OF SUPPLY AS PER ANNEXURE B [ENR Registration]	26-03-2022
14	Gun Carriage Factory	ST PIPE100 X78MM BS 970PT 1 83 708M Description : ST PIPE100 X78MM BS 970PT 1 83 708M [Deemed Registration]	26-02-2021
15		0103056925 PIPE STEEL BLACK TUBE TYPE S GDE B TO SPECIFICATION ASTM A 53 AS PER DRG NO GCF 20 SK 314 EACH TUBE SHOULD BE SEAMLESS AND SHOULD BE TESTED ULTRASONICALLY AND TO BE FREE FROM ALL DEFECTS Description: 0103056925 PIPE STEEL BLACK TUBE TYPE S GDE B TO SPECIFICATION ASTM A 53 AS PER DRG NO GCF 20 SK 314 EACH TUBE SHOULD BE SEAMLESS AND SHOULD BE TESTED ULTRASONICALLY AND TO BE FREE FROM ALL DEFECTS [ENR Registration]	07-03-2024
16	Ammunition Factory Khadki	0700100007 COPPER ROD 6 POINT 5 MM DIA 0 POINT 09 MM IN Description : 0700100007 COPPER ROD 6 POINT 5 MM DIA 0 POINT 09 MM IN [ENR Registration]	28-05-2024

Registration No. : AFXPS8582F Initial Date of Registration : 24-06-2019

Downloaded at : 05/07/2024 02:08 pm

Conditions of Registration:

- 1. This Registration has been carried out based on self-declared documents furnished by Vendor.
- 2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
- 3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
- 4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.