

2

DWG NO 065283A-00

SH 1


1

THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE PROPRIETARY AND CONFIDENTIAL TO OFT. NO PERSON OR ENTITY IS ALLOWED TO COPY, REPRINT, REPRODUCE OR PUBLISH ANY PART OF THIS DOCUMENT, NOR DISCLOSE ITS CONTENTS TO OTHERS, NOR MAKE ANY USE OF IT, NOR ALLOW OR ASSIST OTHERS TO MAKE ANY USE OF IT UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF OFT AND THEN ONLY TO THE EXTENT AUTHORIZED. COPYRIGHT-OFT.

SHEET REV RECORD
ALL SHEETS ARE THE SAME REVISION


REVISION RECORD					
REV	ECO	DESCRIPTION	DATE	APVD	
04		Freeze	21-Feb-13		
05		Freeze	01-Dec-13		
06		Freeze	03-Apr-14	M. Levin	
07		Restricted	21-Jul-14	L. Goldshtein	
--	T00065	Identical To Previous	Released	09-Apr-18	L. Goldshtein

- NOTES:
- INTERPRET THIS DRAWING IAW ASME Y14.100M.
 - MATERIAL: ALUM. ALLOY BAR 6061-T651 PER AMS-QQ-A-225/8.
 - UNLESS OTHERWISE SPECIFIED, UNDEFINED MACHINED FILLET RADII SHALL BE 0.2...0.3.
 - DEBURR AND REMOVE SHARP EDGES, APPROX. 0.2X45 Deg.
 - ALL DIMENSIONS ARE BEFORE COATING.
 - GENERAL TOLERANCES ACCORDING TO ISO 2768-m.
 - FINISH:
 - CHEMICAL CONVERSION COATING PER MIL-DTL-5541F TYPE I CLASS 3.
 - ANODIC COATING PER MIL-A-8625 TYPE II, 20±5 MICRON THICK CLASS 2, COLOR BLACK #37038 PER FED-STD-595.
 - SURFACES DEFINED BY ∇ SHALL BE PROTECTED AGAINST ANODIC COATING.
 - QUALITY ASSURANCE PROVISIONS:
 - QUALITY ASSURANCE PROVISIONS FOR THIS ITEM PER RDMQD00012P.
 - PARENTHEetical FIGURES ARE FOR REFERENCE ONLY.
 - PACKAGING AND PACKING: THE FINISHED PART SHALL BE PRESERVED AND PACKAGED IN ACCORDANCE WITH MANUFACTURER'S BEST COMMERCIAL PRACTICE.
 - IDENTIFY PER MIL-STD-130 PARA 4.1.B, BY LABELING ITS CONTAINER WITH THE PART NUMBER. CHARACTERS MINIMUM TEXT HEIGHT 1.25 MM.



SECTION A-A

SEE ATTACHED MEDIA



(WEIGHT: 0.02 Kg APPROX.)

3.2 / (1.6 / 0.8)

EPDM DRAWING REV 01	EPDM MODEL REV 01	EPDM MODEL STATUS WIP	EPDM MODEL NAME 065283A-00 COVER_SOLENOID_2
------------------------	----------------------	--------------------------	--

UNLESS OTHERWISE SPECIFIED		SIGNATURE	DATE	ORDNANCE FACTORY TIRUCHIRAPPALLI	
DIMENSIONS ARE IN MM PER ASME Y14.5M-1994		DRAWN	11/9/20		
TOLERANCES		CHECKED		TITLE	
LINEAR	ANGULAR	HOS/DDO	3/9/20	FOR: SOLENOID SHOT ASSY	
SEE NOTE 6	SEE NOTE 6	OFFICER/PRODN		OF: 12.7MM SRCG	
1st. ANGLE PROJECTION		OFFICER/QC		SIZE	CAGE CODE
		OFFICER/DDO		B	2291A
SURFACE TEXTURE IN Micro METER				DWG NO	065283A-00
PROJECT OFFICER				SCALE	2:1
				AUTOMATED DRAWING (SW)	
					SHEET 1 OF 1

PLM Control

1

2