ITEM SPECIFICATION: -

SPRING CONTACT TO OFAJ DRG, NO. FS-3206

ITEM CODE: - 6722020209

PRE-QUALIFICATION CRITERIA:-

A. Manufacturing Facility capable to manufacture the store as per specified drawing.

Essential Facilities:-

- Press of minimum 2 ton capacity 02 Nos.
- > Deburring Facility.

Desirable facilities:-

- > Protective Surface Treatment Facility as per drawing & specification.
- > Testing facility as per drawing & specification.

B. Other standard terms & conditions will be as under:

- 1) Firm will arrange the required desirable facilities from reputed source, if the same is not available with firm. The firm has to enclose MOU/Tie up letter of the reputed source for outsourcing desirable facilities along with the technical bid offered.
- 2) Firm has to arrange the inspection facilities and requisite test certificate from Govt. approved/NABL Lab. Firm must confirm the same in technical bid.
- 3) All the facilities, whether in-house or outsourced should be capable and suitable for producing the component as per quality requirement projected in the monitoring instruction/drawings/specifications. Firm must confirm the same in their technical bid and submit the available Plant & Machinery list and inspection facilities in detail along with self-declaration of capability of firm and its sub vendors.
- 4) Registration of the participating firms is essential/mandatory. Firm must confirm the same in technical bid.
- 5) The firm has to arrange for suitable packing of the stores to protect the store damage during storage & transit deterioration, if firm gets the order. Firm must confirm the same in their technical bid.
- 6) The firm shall have supplied similar category of items to other firms. Firm shall provide the details of similar category of items manufactured & supplied to the other firms in last three year with details of purchaser.