


| ISSUE No: | NATURE OF AMENDMENTS                          | SIG/DATE                     |
|-----------|---|------------------------------|
| 1         | SPECN AMENDED. TOLERANCE $\pm 0.2$ WAS $+0.2$ | <i>[Signature]</i><br>2/5/21 |
| 2         | NOTE ADDED                                    | <i>[Signature]</i><br>6/5    |




PRESS PHAN BOARD AMMUNITION GRADE I, SIGMACON 3-1 DISC.

3595 ME DT. 13.12.99

SPECN:- JSS 5970 -11-1996 DC NO. 3502-ME DT. 9-4-98

② SUBSTANCE  $2200 \pm 110$  GRAMS PER SQUARE METRE

| DIMNS IN MM   | MATERIAL:- PRESS PHAN BOARD  | SIGN                                      | DATE                       |
|---|--|---|----------------------------|
| <p style="text-align: center;"><b>DISC</b></p> <p>SCALE:- 1:1</p>  | <p><b>DISC</b></p> <p>JSS 5970 -11-1996</p> <p>DC NO. 3502-ME DT. 9-4-98</p> | DRN                                       | M. Balan 24.9.98           |
|   |  | CHD                                       | <i>[Signature]</i> 24.9.98 |
|   |  | APPD                                      | <i>[Signature]</i> 24.9.98 |
|   |  | AUTHD                                     | <i>[Signature]</i> 6-10-98 |
|   |  | <p>SK. NO. 881</p> <p>DATE -24.9.1998</p> |                            |
| <p>CORDITE FACTORY, ARUVANKADU.</p>   |  |   |                            |