



DRAWING CONVENTIONS CONFORM TO IS: 696
 DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED
 WORKING TOL ON DIMS. LESS THAN 50mm ± 12mm
 AND EXCEPT WHERE OTHERWISE SPECIFIED.

DRG No. **553/100**

PLACE FOR MARKING NOMENCLATURE OF THE STORE
 CAT. NO., MANUFACTURER'S NAME OR RECOGNISED TRADE
 MARK, MONTH & YEAR OF MANUFACTURE AND INSPECTOR'S
 STAMP WITH AIR MATERIAL #



PACKING: - EACH PARACHUTE SHALL BE PACKED IN A POLYTHENE BAG OF SUITABLE SIZE. AN APPROPRIATE NUMBER OF SUCH BAGS SHALL BE PLACED IN A C B C OF SIZE 28 cm x 28 cm x 45.5 cm. THE EMPTY SPACES, IF ANY, IN THE C B C SHALL BE FILLED WITH CUSHIONING MATERIAL TO AVOID DAMAGE IN TRANSIT. THE FLAPS OF THE C B C SHALL BE SECURED BY TACKING THREE TUTE 2 PLY THROUGH THE EYELETS PROVIDED FOR THE PURPOSE.

MARKING: - BEFORE DESPATCH EACH BOX SHALL BE LEGIBLY AND INDELEBLY MARKED WITH THE FOLLOWING: -
 (i) NAME AND CAT. NO. OF THE STORE.
 (ii) QTY. PACKED IN EACH BOX.
 (iii) SRI. NO. OF THE BOX.
 (iv) MONTH AND YEAR OF PACKING.
 (v) NAME AND TRADE MARK OF THE MANUFACTURER.
 (vi) MASS OF THE BOX IN kg.
 (vii) I SHALL HAVE AND ADDRESS OF CONSIGNEE.
 (viii) INSPECTION NOTE NO. AND DATE.

LIST OF MATERIALS

SRI.	NOMENCLATURE	SPECN./DRG. No.
a	FABRIC NYLON LIGHT WEIGHT 37gms. O.G. FOR PERSONNEL PARACHUTE	IS: 4726-1984
b	CORD NYLON BRAIDED 345 N CORPULE-55	ADRDE/553/100/31
c	THREAD SEWING NYLON LIGHT/O.G. (JUD VARIETY NO. L-3, B-5, A-0N)	IS: 4229-1978
d	THREAD SEWING COTTON 15.4 TEX/6.09/JUD (10)	IS: 1376-1968
e	THIMBLE	ADRDE/553/44
f	INK MARKING BLACK	IND/SL SERIES

NOTE: SPECN./DRG. NO. MENTIONED IN THE LIST OF MATERIALS UNDER THE COLUMN SPECN./DRG. NO. SHALL BE TAKEN AS A REFERENCE TO THE LATEST ISSUE OF THAT SPECN./DRG. NO.

DETAIL INDEX

DWG. No.	SHT. No.	NOMENCLATURE	No. OF
1	1	ASSEMBLY	1
2	2	CANOPY FLAT VIEW	1
3	3	CANOPY WITH RIGGING LINES	1
4	4	THIMBLE	1

DRG. No.	DATE	AUTHORITY	BRIEF RECORD	ZONE	CD	50
					50	


DRG. No.	DATE	AUTHORITY	BRIEF RECORD	ZONE	CD	50
					50	

DRG. No.	DATE	AUTHORITY	BRIEF RECORD	ZONE	CD	50
					50	

PARACHUTE SYSTEM FOR BOMB 51-mm ILLUMINATING AMMUNITION.

20/163/85

DRG No. **ADRDE/553**
 DRAWING CONVENTIONS CONFORM TO IS: 696
 DIMENS ARE IN MM UNLESS OTHERWISE STATED
 GEN. TOL AS SPECIFIED



DRG NO.	DATE	AUTHORITY	BRIEF RECORD	ZONE	CD	GO	MATL.	PROTECTIVE FINISH	DRN	CHKD.	TRD.	COMP.	ASST. ORG.	DRG No.	DET. No.
							AS SPECIFIED ON SHT. 1.		DRN 2/2/2017	CHKD. 1	TRD.	COMP.	ASST. ORG.	ADRDE/553 (a)	3 SHTS
									DRG No. 101	PASSED 2/2/17	SCALE: 1:5, 1:1		DECISION AUTHORITY		
									APPROVED	EST WEIGHT	GAUGE SPEC.		ADRDE, AGRA.		
									AIR CABLE	DATE					
									AIR CABLE						
									INSPECTOR						

PARACHUTE SYSTEM FOR BOMB 51-mm ILLUMINATING AMMUNITION.





DRG No. **ADRDE/553 (a)**
 PART No. **1**
 D.S. CAT. No. **AHSP**
 DET. No. **3 SHTS**
 SHT. No. **2**

Do 1/63/83

DRAWING CONVENTIONS CONFORM TO IS: 696
DIMENS ARE IN MM UNLESS OTHERWISE STATED
MARKING TOL ON DIMS AS SPECIFIED

DRG. NO. **ADRDE/553**

B. RIGGING LINES
OF MATERIAL 'B'



CANOPY WITH RIGGING LINES
1.0FT

ENLARGEMENT VIEW AT 'P'
SCALE: 1:1

R. NO.	1	DATE	19 JUL 90	AUTHORITY	ARRANGEMENT OF RIGGING LINE	BRIEF RECORD	ZONE	1 C	CD	60	SIGN
DRG. SEALED											

IBN	CHD	TRD	COMP
APPROVED	PASSED	SCALE: 1:1	EST. WEIGHT
DIRECTOR	DATE	GAUGE SCHD.	

DRG. NO.	ADRDE/553	DET. NO. 2
PART NO.		3-SHTS.
DS CAT NO.		
AHSD		

PARACHUTE SYSTEM FOR BOMB 51-mm ILLUMINATING AMMUNITION

08/13/88