Part V : Evaluation Criteria

Clause No	Clause	Sub Clause	Description
A	Pre- Qualification Criteria	Authorised /Dealers/sole selling agent/Stockiest/Trader.	Valid Authorized certificate of OEM for the tendered items.
B-1	Pre- Qualification Criteria	Essential facilities	Electric Arc Furnace 30 MT (min) Induction furnace.
B-2	Pre- Qualification Criteria	Essential facilities	Metal Refining facility.
B-3	Pre- Qualification Criteria	Essential facilities	Ingot casting Machine/Mould.
B-4	Pre- Qualification Criteria	Essential facilities	Suitable rolling facility as per requirement
B-5	Pre- Qualification Criteria	Essential facilities	Cutting machine.
B-6	Pre- Qualification Criteria	Essential facilities	Suitable heat treatment Facility
B-7	Pre- Qualification Criteria	Essential facilities	Universal Tensile Testing Machine.
B-8	Pre- Qualification Criteria	Essential facilities	Hardness testing machine.
B-9	Pre- Qualification Criteria	Essential facilities	Metallurgical Microscope.
B-10	Pre- Qualification Criteria	Desirable facilities	Ultrasonic testing facility.
B-11	Pre- Qualification Criteria	Desirable facilities	Spectrometer for chemical analysis.
B-12	Pre- Qualification Criteria	Essential facilities	Required facility to manufacture the store as per specified drawing
B-13	Pre- Qualification Criteria	Essential facilities	Firm will arrange the required desirable facilities from reputed source, if the same is not available with the firm. The firm has to enclose MOU / Tie-up letter of the reputed source for outsourcing desirable facilities along with the technical bid offered.
B-14	Pre- Qualification	Essential facilities	Firm has to submit the list of available plant and machinery and inspection facility.

	Criteria		
C-1	Pre- Qualification Criteria	Other standard terms and conditions.	Firm has to arrange the inspection facilities and requisite test certificate from Govt. approved/ NABL Lab. Firm must confirm the same in technical bid. Firm shall agree for the capacity verification of their firms with respect to the essential and desirable facilities of pre-qualification criteria. If, firm is out sourcing the desirable facilities.? firm shall agree for arranging the capacity verification of their sub-vendors also. Firm must confirm the same in the technical bid.
C-2	Pre- Qualification Criteria	Other standard terms and conditions.	All the required facilities, whether in-house or outsourced should be capable and suitable for producing/supplying the component as per quality requirement projected in the monitoring instruction/drawings/specification. Firm must confirm the same in their technical Bid along with self declaration of capability of firm and its sub vendors.
C-3	Pre- Qualification Criteria	Other standard terms and conditions.	The firm has to arrange appropriate identification on each package and/or rod with suitable marking such as name of manufacturer/supplier, alloy designation, condition of the material, Cast Heat code & rod size etc. Firm has to arrange for suitable packing of the stores to protect the store damage during storage and transit deterioration, if firm gets the order. Firm must confirm the same in their technical Bid.
C-4	Pre- Qualification Criteria	Other standard terms and conditions.	The firm shall have supplied same/similar category of items to other firms. The firm will provide the details of same/similar category of item supplied to other firms in last three year with details of purchaser.