




DRG.No.
TRD-222169



**x) TO BE PLACED INSIDE THE BOX, FOR
TIGHT PACKING IN ALL DIRECTIONS






8	FILLER (BOARD) 690x370	TRD-122176
7	FILLER 690x370	TRD-122175
6	FILLER 690x250	TRD-122174
5	FILLER (BOARD) 690x250	TRD-122173
4	FILLER 370x250	TRD-122172
3	FILLER (BOARD) 370x250	TRD-122171
2	SPACER BOX 5209	TRD-222177
1	BOX 5209	TRD-222170

Item No.	DESCRIPTION	No. off	MATERIAL/DRG.
Insp.	Date	JWM/CDG	DA No
Heat Treatment Rc.-			BOX 5209 EMPTY ASSY.
Amendments	▽ 12.5-25 Ra	▽ 0.2-0.8 Ra	M/C
JWM/ R&D	▽ 1.6-6.3 Ra	▽ 0.1-0.025 Ra	DRg No. TRD-222169
HOS/ CDD	DIMENSIONS ARE IN mm.		SCALE-
DATE 28.1.07	UNTOL. DIMNS. IS-2192 MEDIUM		No. of sheets - 01
CKD	SHARP EDGES TO BE REMOVED		Sheet No. - 01
DRN	Gauging surfaces shown by thick line		
TRD	ORDNANCE FACTORY KHAMARIA		
Approved by	PS/GS.		Store:-
	Drq.No.		Compt:-

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.
THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA, MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD PARTY OR USED FOR AND CIVIL PURPOSE.


DRG.No.
TRD-222170

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.
THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA, MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD PARTY OR USED FOR AND CIVIL PURPOSE.



Type approval marking, colour: black
Profile overlap, both sides

PHYTOSANITARY INFORMATION
Pure plywood, particle board and OSB is approved acc to FAO ISPM 15



The box glazed on the outside acc to FSD 6610
Colour: Dark green
Close-lapped bottom
Polyester strip 30x400 mm (2x), dark green (1000N/90°)
Bottom-, corner-, lid-profiles and laps shall be Aluzinc treated


Lådans invändiga mått Inside dimensions of box			Lådans utvändiga mått ca Outside dimensions of box approx		
Längd Length	Bredd Width	Höjd Height	Längd Length	Bredd Width	Höjd Height
771±2	405±2	272±2	795	429	293

Material Plywood 8 mm C-kvalitet/C-quality (WBP)					
Item No.	DESCRIPTION	No. of	MATERIAL		
1	BOX 520-9				
Insp. Date	JwM/ CDD	DA No	Heat Treatment Rc-		
Amendments			125-25 Ra	02-49 Ra	
JwM/ RED			14-63 Ra	61-4.025 Ra	M/C
HOSZ/ CDD		DATE 22-1-07	DIMENSIONS ARE IN mm.		
CKD			UNTOL DIMNS. IS 2302 MEDIAN		
DRN	TRD		SHARP EDGES TO BE REMOVED		
			Gauging surfaces shown by thick line		
Approved by	J.L. G. S. S. R. (S)		ORDNANCE FACTORY KHAMARIA		
PS/GS.		Store :-	No. of sheets - 01		
		Drg.No.	Sheet No. - 01		
			Compt:-		

DRG.No.
TRD-222177

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.


THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA, MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY CIVIL PURPOSE.



MATERIAL :- TRA FIBER SKIVA (MASONIT)

Item No.	DESCRIPTION	No. off	MATERIAL
	Heat Treatment Rc-		SPACER FOR BOX 520:9
Insp.	Date	JWH/CDO	DA No
Amendments		▽ 12.5-25 Ra	▽▽ 0.2-0.8 Ra
JWH/R&D		▽ 14-43 Ra	▽▽▽ 0.1-0.025 Ra
HQS/CDO	DATE 28.1.19	DIMENSIONS ARE IN mm.	
CKD	CKD	UNTOL. DIMNS. IS-2192 MEDIUM	
DRN	TRD	SHARP EDGES TO BE REMOVED	
Approved by: J. G. S. [Signature]		Gauging surfaces shown by thick line	
PS/GS.		ORDNANCE FACTORY KHAMARIA	
Store :-		No. of sheets - 01	
Drg.No.		Sheet No. - 01	
		Compt.:-	

REF. DRG. NO. 5.222.001



This document is the property of FFV. It may not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written consent of FFV.

PHYTOSANITARY INFORMATION
 Pure plywood, particle board and OSB is approved acc to FAO ISPM 15

Lådan laserad utvändigt enl FSD 6610
 Kulör: Mörkgrön
 Tätflikad botten
 Polyesterband 30x400 mm (2x), mörkgrön (1000N/90°)
 Botten-, hörn-, lockprofiler och flikar skall vara Aluzinkbehandlade

The box glazed on the outside acc to FSD 6610
 Colour: Dark green
 Close-lapped bottom
 Polyester strip 30x400 mm (2x), dark green (1000N/90°)
 Bottom-, corner-, lid-profiles and laps shall be Aluzinc treated

Ladans invändiga mått Inside dimensions of box			Ladans utvändiga mått ca Outside dimensions of box approx		
Längd Length	Bredd Width	Höjd Height	Längd Length	Bredd Width	Höjd Height
771±2	405±2	272±2	795	429	293

Material: Plywood 8 mm C-kvalitet/C-quality (WRP) Art nr/No. 05227287 rev C		Färdigställningsenligt ID/Spec: 0 817 418	
Övrigt: Ytbehandling Surface treatment: Ytbehandlad/Surface treated		Mått: Färdigställningsenligt ID/Spec: 0 817 418	
Grader/Grades: 8	Material/Type: Hny/Boarb	Tal ant./Total acc to: 040323	Färdigställningsenligt ID/Spec: 0 817 418
Konstruktör/Designer: Borb	Produktion/Production: Hny/Boarb	Skick/Status: U	Skala/Scale: 1:5
Datum/Date: 010316	Konstruktör/Designer: RO Nefab/Hny	Införningsnummer/Order No.: 301085811	Färdigställningsenligt ID/Spec: 0 817 418

Låda / 520:9
 Box (IN)

FFV Ordnance AB
 301085811

Ändring/Revision: C 1	Ändring/Revision: AO 601002341	Ändring/Revision: Borb 081112
Ändring/Revision: C 1	Ändring/Revision: AO 601002341	Ändring/Revision: Borb 081112


DRG.No.
TRD-122171

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENTS IS THE PROPERTY OF GOVT. OF INDIA, MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD PARTY OR USED FOR AND CIVIL PURPOSE.

FILLER (BOARD) 370x250x1.6

MATERIAL _ SPECN. MIL-F-50449

Insp.	Date	JWM/ CDD	DA No	Item No.	DESCRIPTION	No. off	MATERIAL
					Heat Treatment Rc.-		FILLER (BOARD) 370x250
Amendments				▽ 12.5-25 Ra	▽▽▽ 0.2-0.8 Ra		
JWM/ R&D				▽▽ 1.6-6.3 Ra	▽▽▽▽ 0.1-0.025 Ra	M/C	
HDS/ CDD	<i>Qm</i>	DATE 28.1.07		DIMENSIONS ARE IN mm.		Drg. No.	TRD-122171
CKD	<i>Qm</i>	CKD		UNTOL. DIMNS. IS:2102 MEDIUM			SCALE:- 10:1
DRN	<i>Qm</i>	TRD		SHARP EDGES TO BE REMOVED			No. of sheets - 01
Approved by <i>[Signature]</i>				ORDNANCE FACTORY KHAMARIA		Sheet No. - 01	
PS/GS.				Store i- Drg.No.		Compt.:-	

DRG.No.
TRD-122172

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA,
MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF
DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE
USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD
PARTY OR USED FOR AND CIVIL PURPOSE.

FIBRE BOARD (MASONITE)
370x250x3.2

MATERIAL _ (N71-9)

				Item No.	DESCRIPTION	No. off	MATERIAL
Insp.	Date	JWM/CDD	DA No	Heat Treatment Rc.-		FILLER 370x250	
Amendments				▽ 12.5-25 Ra	▽▽▽ 0.2-0.8 Ra	M/C	
JWM/R&D				▽▽ 1.6-6.3 Ra	▽▽▽▽ 0.1-0.025 Ra	Drg. No. TRD-122172	
HDS/CDD	DATE 28.1.07			DIMENSIONS ARE IN mm.		SCALE:- 10:1	
CKD		CKD		UNTOL. DIMNS. IS:2102 MEDIUM		No. of sheets - 01	
DRN		TRD		SHARP EDGES TO BE REMOVED		Sheet No. - 01	
				Gauging surfaces shown by thick line			
Approved by Jt. Gm. (TRD)				ORDNANCE FACTORY KHAMARIA			
PS/GS.			Store :- Drg.No.			Compt.:-	

DRG.No.
TRD-12213

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA,
MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF
DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE
USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD
PARTY OR USED FOR AND CIVIL PURPOSE.

FILLER (BOARD) 690x250x1.6

MATERIAL _ SPECN. MIL-F-50449

				Item No.	DESCRIPTION	No. off	MATERIAL
Insp.	Date	JWM/ CDD	DA No	Heat Treatment Rc.-		FILLER (BOARD) 690x250	
Amendments				▽ 12.5-25 Ra	▽▽▽ 0.2-0.8 Ra	M/C	
JWM/ R&D				▽▽ 1.6-6.3 Ra	▽▽▽▽ 0.1-0.025 Ra	M/C	
HOS/ CDD		DATE 28.1.07		DIMENSIONS ARE IN mm.		Drg. No. TRD-122173	
CKD		CKD		UNTOL. DIMNS. IS:2102 MEDIUM		SCALE:- 10:1	
DRN		TRD		SHARP EDGES TO BE REMOVED		No. of sheets - 01	
Approved by J. H. G. (off)				Gauging surfaces shown by thick line		Sheet No. - 01	
PS/GS.				Store :- Drg.No.		Compt.:-	

REF. DRG. NO. 6 429 208

DRG.No.
TRD-122174

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENTS IS THE PROPERTY OF GOVT. OF INDIA,
MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF
DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE
USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD
PARTY OR USED FOR AND CIVIL PURPOSE.

FIBRE BOARD (MASONITE)
690x250x3.2

MATERIAL :- (N71-9)

				Item No.	DESCRIPTION	No. off	MATERIAL
Insp.	Date	JWM/ CDD	DA No	Heat Treatment Rc.-		FILLER 690x250	
Amendments				▽ 12.5-25 Ra	▽▽▽ 0.2-0.8 Ra	M/C	
JWM/ R&D				▽▽ 1.6-6.3 Ra	▽▽▽▽ 0.1-0.025 Ra	Drg. No. TRD-122174	
HOS/ CDD	DATE 28.1.07			DIMENSIONS ARE IN mm.		SCALE - 10:1	
CKD		CKD		UNTOL. DIMNS. IS:2102 MEDIUM		No. of sheets - 01	
DRN		TRD		SHARP EDGES TO BE REMOVED		Sheet No. - 01	
				Gauging surfaces shown by thick line			
Approved by J. G. Ch...				ORDNANCE FACTORY KHAMARIA			
PS/GS.				Store :- Drg.No.		Compt.:-	

REF. DRG. NO. 6 429 209

DRG.No.
TRD-122175

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA, MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY CIVIL PURPOSE.

FILLER (BOARD) 690x370x1.6

MATERIAL _ SPECN. MIL-F-50449

Item No.	DESCRIPTION	No. off	MATERIAL
Insp.	Date	JWM/CDD	DA No
Heat Treatment Rc.-			
Amendments		▽ 12.5-25 Ra ▽▽▽ 0.2-0.8 Ra	
JWM/R&D		▽▽ 1.6-6.3 Ra ▽▽▽▽ 0.1-0.025 Ra	
HDS/CDD	DATE 28.1.07	DIMENSIONS ARE IN mm.	
CKD	CKD	UNTOL. DIMNS. IS:2102 MEDIUM	
DRN	TRD	SHARP EDGES TO BE REMOVED	
Approved by Jt. Cnctr (RD)		Gauging surfaces shown by thick line	
PS/GS.		ORDNANCE FACTORY KHAMARIA	
Store :-		No. of sheets - 01	
Drg.No.		Sheet No. - 01	
		Compt.:-	

FILLER
690x370

M/C

Drg. No.
TRD-122175

SCALE:-
10:1


DRG.No.
TRD-122176

VETTED - FOR PLANNING AND TRADE ENQUIRY ONLY.

THIS DOCUMENT IS THE PROPERTY OF GOVT. OF INDIA,
MINISTRY OF DEFENCE & IS ISSUED FOR THE PURPOSE OF
DEVELOPING/MANUFACTURING STORES REQUIRED FOR DEFENCE
USE. IT MUST NOT BE REPRODUCED/DISCLOSED TO ANY THIRD
PARTY OR USED FOR AND CIVIL PURPOSE.

FIBRE BOARD (MASONITE)
690x370x3.2

MATERIAL :- (N71-9)

Insp.	Date	JWM/ CDO	DA No	Item No.	DESCRIPTION	No. off	MATERIAL
					Heat Treatment Rc.-		FILLER (BOARD) 690x370
Amendments				▽ 12.5-25 Ra	▽▽▽ 0.2-0.8 Ra		
JWM/ R&D				▽▽ 1.6-6.3 Ra	▽▽▽▽ 0.1-0.025 Ra		M/C
HOS/ CDO		DATE 28-1-07		DIMENSIONS ARE IN mm.			Drg. No. TRD-122176
CKD		CKD		UNTOL. DIMNS. IS:2102 MEDIUM			 SCALE:- 10:1
DRN		TRD		SHARP EDGES TO BE REMOVED			
				Gauging surfaces shown by thick line			No. of sheets - 01
Approved by J.G. G. (R&D)				BRDNANCE FACTORY KHAMARIA			Sheet No. - 01
PS/GS.			Store :- Drg.No.			Compt.:-	