

10	PRE-QUALIFICATION CRITERIA	<p><u>PRE-QUALIFICATION CRITERIA:</u></p> <p>A. Authorized Agents/Dealers or Traders/Stockist : As per SOP guidelines mentioned in YIL Procurement Manual (latest Issue).</p> <p>B. Manufacturing Facility capable to manufacture the store as per specification/specified drawing.</p> <p>1] <u>ESSENTIAL FACILITIES :</u></p> <p>a) Aluminium melting furnace 2 Ton (Min) capacity with degassing facility. b) Extrusion press min. 1500 Ton Capacity. c) Cutting/Shearing Machine. d) Straightening Machine. e) Solution treatment & Aging facility as per requirement. f) Spectrometer for Chemical Analysis.</p> <p>2] <u>DESIRABLE FACILITIES:</u></p> <p>a) Universal Testing machine. b) Hardness Testing machine. c) Metallurgical Microscope. d) Others testing Facilities as per Drawing/Specification.</p> <p>C. <u>Other standard terms and conditions will be as under:</u></p> <p>1) Firm will arrange the required desirable facilities from reputed source, if the same is not available with firm. The firm has to enclose MOU / Tie-up letter of the reputed source for outsourcing desirable facilities along with the technical bid offered.</p> <p>2) Firm has to arrange the inspection facilities and requisite test certificates from Govt. approved /NABL Lab. Firm must confirm the same in technical bid.</p> <p>3) All the facilities, whether in-house or outsourced should be capable and suitable for producing the component as per quality requirement projected in the monitoring instruction/ drawings /Specification. Firm must confirm the same in their technical Bid & submit the available plant & Machinery list and Inspection facilities in detail along with self declaration of capability of firm and its sub vendors.</p> <p>4) Registration of the participating firms is essential/ mandatory. Firm must confirm the same in technical bid.</p> <p>5) Firm has to arrange for suitable identification on each package & rod with suitable marking indicating the name of manufacturer, alloy designation, condition of material, Cast Heat Code & rod size etc. Firm has to arrange for suitable packing of the stores to protect the store damage during storage & transit deterioration, if firm gets the order. Firm must confirm the same in their technical bid.</p> <p>6) The firm shall have supplied similar category of items to other firms. Firm shall provide the details for similar category of items manufactured & supplied to the other firms in last three year with details of purchaser. (Ref.L.No.4172/SA DEVICE MC 751/FS dt.29/04/2021 & L.No.4107/FS/PQ/2020/DM dt.15/06/2020)</p>
----	----------------------------	--