

Actual Size

1325  
R

Note:-  
Ensure free movement and  
Indexing of Front Sight

ITEM NO.	PART NUMBER	QTY.
5	K-1035 GTLS	1
4	K-1034 Spring Front Sight	1
3	K-1033 Sleeve Front Sight	1
2	K-1032 Front Sight	1
1	K-1031 Housing Front Sight	1

SECTION P-P


TRACED DRAWN CHECKED OIC/D&DO OFFICER/ PRODN. DIV.OFFICER/ D&DO	SIGNATURE & DATE.	SUB: Front Sight Assembly FOR: General Assy OF: Trichy Assault Rifle DES.REF.NO. DRG. No.: TAR-K-1030	SCALE NTS QPG 1 Weight(g)
	P. T.	FT ORDNANCE FACTORY TIRUCHIRAPPALLI-16.	SHEETS: 1 SHEET No.: 1
	S. K.	APPROVED ON: 01/05/2018	
	AMENDMENTS	SIG. & DATE	



Actual Size

UN CONTROLLED COPY

13219



SECTION C-C

Material : Steel  
BS:970 Pt.1 1983 Sec.3 Gr.080 M40 (or) EN8

Hardness: 30 - 35 HRC

Protective Finish :  
Phosphating to Specn. 0465-01-1994 Class II Oil Finish

			SIGNATURE & DATE.	SUB: Housing Front Sight	SCALE NTS
		TRACED			
		DRAWN		OF: Trichy Assault Rifle	QPG 1
		CHECKED		DES.REF.NO.	Weight(g)
		OIC/D&DO	<i>P. Tarku</i>	DRG. No.: TAR-K-1031	
AMENDMENTS	SIG. & DATE	DIV.OFFICER/D&DO	<i>Se. Kumar</i>	ORDNANCE FACTORY TIRUCHIRAPPALLI-16.	SHEETS: 1
		APPROVED ON: 01/05/2018			SHEET No.: 1

D  
C  
B  
A

D  
C  
B  
A



6 5 4 3 2 1

6 1 5 4 3 2 1








Actual Size



13219

Material : Steel  
 BS:970 Pt.1 1983 Sec.3 Gr.080 M40 (or) EN8  
 Hardness: 30 - 35 HRC  
 Protective Finish :  
 Phospatting to Specn. 0465-01-1994 Class II Oil Finish



SECTION H-H

AMENDMENTS	SIG. & DATE	 OIC/D&DO OFFICER/ PRODN. DIV.OFFICER/ D&DO 	 SIGNATURE & DATE.	SUB: Sleeve Front Sight FOR: Front Sight Beta Assy OF: Trichy Assault Rifle DES.REF.NO. DRG. No.: TAR-K-1033	SCALE NTS QPG 1 Weight(g)
			APPROVED ON. 01/05/2018	 ORDNANCE FACTORY TIRUCHIRAPPALLI-16.	SHEETS: 1 SHEET No.: 1



Actual Size


13219  
*[Signature]*



Material :  
 Steel Wire  
 IS: 4454 Part-1 2001 Gr.SL

Wire Dia - 0.35mm  
 Wound - RH 9(or)LH  
 Pitch - 1.5mm  
 No. of Coils effective - 6  
 Mean dia - 3.0mm  
 One coil at each end to be closed  
 3/4 of coil at each end non effective

The Spring shold work freely  
 1.on rod dia 2.5mm  
 2.on hole 3.5mm



SIGNATURE & DATE.

SUB: Spring Front Sight

SCALE  
NTS

TRACED

FOR: Front Sight Beta Assy (K1030)

QPG  
1

DRAWN

OF: Trichy Assalut Rifle

CHECKED

DES.REF.NO.

Weight(g)

OIC/D&DO

*P. [Signature]*

DRG. No.: TAR-K-1034

OFFICER/  
PRODN.

DIV.OFFICER/  
D&DO

*G. [Signature]*



ORDNANCE FACTORY  
TIRUCHIRAPPALLI-16.


SHEETS: 1

SHEET No.: 1



AMENDMENTS

SIG. & DATE

APPROVED ON. 01/05/2018



Actual Size



13219  
*[Handwritten signature]*

Type - GTLS  
Color - Green  
Body - Borisilicate Glass  
Tritium Content : 0.077 GBq  
RADIONUCLIDE Type - h-3  
(Gaseous Tritium Light Source)

	SIGNATURE & DATE.	SUB: <b>Gaseous Tritium Light Source</b>	SCALE NTS	
	TRACED		FOR: Front Sight & Rear Sight	QPG 3
	DRAWN		OF: Trichy Assault Rifle	Weight(g)
	CHECKED	DES. REF. NO.	ORDNANCE FACTORY TIRUCHIRAPPALLI-16.	SHEETS: 1
	OIC/D&DO <i>P. Jayaram</i>	DRG. No.: TAR-K-1035		SHEET No.: 1
OFFICER/PRODN.				
DIV. OFFICER/D&DO <i>G. K.</i>				
AMENDMENTS	SIG. & DATE	APPROVED ON. 18/05/2018		