

DWG NO Y18509A-00

SH 1


SHEET REV RECORD

ALL SHEETS ARE THE SAME REVISION

REVISION RECORD

REV	ECO	DESCRIPTION	DATE	APVD
01		Freeze	05-Nov-17	I. Arbitman
02		Freeze	23-Nov-17	I. Arbitman
--	T00121	Identical To Previous Released	10-Oct-18	Z. Rabayev

THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE PROPRIETARY AND CONFIDENTIAL TO OFT. NO PERSON OR ENTITY IS ALLOWED TO COPY, REPRINT, REPRODUCE OR PUBLISH ANY PART OF THIS DOCUMENT, NOR DISCLOSE ITS CONTENTS TO OTHERS, NOR MAKE ANY USE OF IT, NOR ALLOW OR ASSIST OTHERS TO MAKE ANY USE OF IT UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF OFT AND THEN ONLY TO THE EXTENT AUTHORIZED. COPYRIGHT-OFT.



SEE SEPARATE PARTS LIST

STAMPING REQUIREMENTS:

A	B	C	D
WS3_P20 TO WPKS5_J20	ELBIT WS3 Y18509A-XX S/N____ MM/YY__REV__	WS3_P1 TO COCK. MOT._J1	WS3_J1 TO FIRE SOL._P1

UNLESS OTHERWISE SPECIFIED		SIGNATURE	DATE	ORDNANCE FACTORY TIRUCHIRAPPALLI	
DIMENSIONS ARE IN MM PER ASME Y14.5M -1994		DRAWN	17/12/20		
TOLERANCES LINEAR ANGULAR		CHECKED		TITLE	
3rd. ANGLE PROJECTION		HOS/DDO	18/10/20	CABLE ASSY, WSS3	
		OFFICER/PRODN		FOR: STAND WEAPON ASSY	
SURFACE TEXTURE IN Micro INCH		OFFICER/QC		OF: 12.7MM SRCG	
PROJECT OFFICER		OFFICER/DDO		SIZE	CAGE CODE
				B	2291A
				DWG NO	Y18509A-00
					--
				SHEET 1 OF 2	

PLM Control

2


1

THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE PROPRIETARY AND CONFIDENTIAL TO OFT. NO PERSON OR ENTITY IS ALLOWED TO COPY, REPRINT, REPRODUCE OR PUBLISH ANY PART OF THIS DOCUMENT, NOR DISCLOSE ITS CONTENTS TO OTHERS, NOR MAKE ANY USE OF IT, NOR ALLOW OR ASSIST OTHERS TO MAKE ANY USE OF IT UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF OFT AND THEN ONLY TO THE EXTENT AUTHORIZED.
 COPYRIGHT-OFT.

WS3

B

B



A

A

SIZE	CAGE CODE	DWG NO	
B	2291A	Y18509A-00	-
			SHEET 2 OF 2

OFT

ASSEMBLY PARTS LIST

Assembly Parts List For: Y18509A-00

Rev: -

Status: Released

Description: CABLE ASSY, WSS3

FN	CMD	PART NUM	ECO	DESCRIPTION	MB	QTY	UIM	REF. DES./REMARKS	MFG. PN / CUSTOMER	LA	LI
1	PO	00150467N		PLUG CIRC 37 S NO.15 MARIN.BRO	P	1.000	EA	P1	44058-DTS26B15-35SN		
2	PO	00157612N		RECEPT CIRC 6 S NO.09 M.BRONZE	P	1.000	EA	J1	55386-DTS24B09-35SN		
3	PO	00150479N		PLUG CIRC 55 P NO.17 MARIN.BRO	P	1.000	EA	P20	44163-DTS26B17-35PN		
4	PO	00150357N		BACKSHELL CONN #15 38999-3,4 S	P	1	Each	BS P1	56194-BTH3-15-06-2-Z		
5	PO	00150368N		BACKSHELL CONN #09 38999-3,4 S	P	1	Each	BS J1	56194-BTH1-09-04-2-Z		
6	PO	00157561N		BACKSHELL 17 38999-3,4 BRONZE	P	1	Each	BS P20	56194-BTH3-17-06-2-Z		
7	PO	00015525N		BAND CLAMP ID.8 W.120 F/BCKSHL	P	3	Each	BAND	47017-600-057-1		
8	VW	34356901M		BOOT SHRINK 90DEG TRANSITION	P	1	Each		58034-322A112-25		
9	VW	20206812500 (33230304M)		BOOT SHRINK STR .92 TO .41	P	1	Each		20012-202K121-25-0		
10	VW	34334801M		BOOT SHRINK RA 1.12 TO .56	P	2	Each		58034-222K132-25		
11	YR	00003356N		ADHESIVE EPOXY POLYAMID KIT FO	P	20.000	GM		20012-S1125 KIT-8		
12	VW	40687009977 (99929867M)		BRAID TUBE .125ID CU/TIN(.187X	P	0.350	MR		54148-A-A-59569R36T0125		
13	VW	33373803M		BRAID TUBE .375ID CU/TIN(.625X	P	0.800	MR		54151-A-A-59569R36T0375		
14	VW	20516811900 (34356506M)		TUBE SHRINK .187/.093 BLK F.R.	P	0.250	MR		58011-DR-25-3/16-0		
15	VW	99928295M		TUBE SHRINK .375/.187 BLK F.R.	P	0.700	MR		58011-M23053/16-002-0		
16	VW	40687010577 (99963632M)		MARKER SLEEVE 1/2DIA X2.0 WHT	P	3	Each		58011-TMS-SCE-1/2-2.0-9		
17	VW	40687010377 (99963630M)		MARKER SLEEVE 1/4DIA X2.0 WHT	P	1	Each		58011-TMS-SCE-1/4-2.0-9		
18	VW	99941581M		TUBE SHRINK .500/.250 CLR F.R.	P	0.150	MR		20012-M23053/18-208-C		
19	VW	40687012377 (99941579M)		TUBE SHRINK .250/.125 CLR F.R.	P	0.050	MR		20012-M23053/18-206-C		
21	PO	00161418N		DUST CAP CIRC RCPT #09 38999-3	P	1	Each	DUST CUP J1	56194-100P160-09-2-Z-WR4-09		
22	PO	40332039977 (99930390M)		PLUG GROMMET SEALING NO.22	P	42	Each	PLUG GROMMET	58312-MS27488-22-1		
23	WO	00063776N		CABLE ELECT 6X 22 AWG WHT ETFE	P	0.750	MR		58034-55PC1161229/96/93/95/9290		
24	WO	00063727N		CABLE ELECT 2X22AWG SHL/JK WHT/B	P	0.720	MR		58034-55PC1121-22-9/96-9		
25	WO	00056551N		WIRE 22AWG MOD ETFE WHT	P	14.400	MR		58034-55PC0111-22-9		