

NOMENCLATURE: CUP TO OFAJ DRG. NO. FS-2457A
ITEM CODE: 6078902457

MONITORING INSTRUCTIONS FOR VENDOR

1. Firm has to take raw material clearance and Firm has to submit pre-inspection test report from NABL accredited / P.S.U / Manufacturer's lab/ Govt. approved lab for chemical, Mechanical and any other properties as mentioned in the nomenclature, drawing and specification before submitting raw material for clearance.

2. Test reports to give reference of OFAJ supply order.

3. Firm has to submit proof of Raw material purchase and indicate its sufficiency for No. of Components to be manufactured from purchased raw material.

4. After raw material clearance, Firm has to submit advance sample for clearance before starting bulk production. (Advance sample required from first time supply)

5. Components to be strictly made as per the drawing specified in the nomenclature and Firm shall submit inspection report / dimensional report along with supply.

6. Firm to take all necessary precautions for proper packaging and surface protection to avoid corrosion, damage during handling, transporting and storage.

7. Firm has to manufacture their own set of gauges, get it calibrated to ensure the quality of product.

8. Component will be subjected to surveillance quality check and performance trial at OFAJ.

9. OFAJ team may visit the firm for Process/quality Audit.

10. MIS will be sentenced within one month after receipt of material / component at OFAJ.