


UN CONTROLLED COPY

MARKING:

- * MANUFACTURER CODE
 - + BATCH/YEAR OF MANUFACTURE
- ENGRAVING DEPTH 0.1mm & HEIGHT 2.5mm.



MIM 4605 Composition

Element	C	Mn	Si	Ni	Mo	Cr	S	P
Min	0.3	-	-	1.5	-	-	-	-
Max	0.6	0.5	0.5	2.5	0.5	0.5	0.05	0.05

DWG Details

Material:	MIM 4605	3rd Angle	SIGN	DATE:
Hardness:	415-475 HV	DRAWN	<i>[Signature]</i>	
Finish:	Manganese Phosphated	CHECKED	<i>[Signature]</i>	
	Un tolerated dimensions IS:2102 Medium	HOS/D&DO	<i>[Signature]</i>	
		OFFICER/Prodn		
		OFFICER/OC		
		DIV.OFFICER/DDO	<i>[Signature]</i>	
PDM CONTROL				

Material: MIM 4605

SUB: AUTO SEAR
 FOR: General Assembly
 OF: TIRUCHY ASSAULT RIFLE
 DES.REF.NO.: K-2067
 DWG. No.: MIM-K-2067-00
 Wt. (Appx) gm

CERTIFIED CORRECT COPY OF APPROVED DRAWING AT THIS DATE: 17/11/16

Design & Drawing Office
 Ordnance Factory
 Tiruchirappalli-600016

ORDNANCE FACTORY
 TIRUCHIRAPPALI-16.
 SHEET: 1 OF 1