

13011

100 E

HEMRL
HEALTHY ENVIRONMENTAL RESEARCH LABORATORY

DRDO, Ministry of Defence, Government of India
सुतारवाडी, पुणे - 411 021, Sutarwadi, PUNE - 411 021



ISO 9001:2015
CERTIFIED LABORATORY

दूरध्वनि Tel: 020 25869303

फैक्सर Fax: 020 25869316

ई-मेल E-mail: info@hemrl.org

HEMRL/SRP/2020/Jan/05

Date: 7th Jan, 2020

To,
The General Manager,
OF Bhandara.

Fax No.-07184-275242 / 275317

(Kind Attn: D. Urkude, DGM)

Sub.: Specification of Chemicals

The specifications of the following chemicals are attached herewith as desired by you.

1. Monobasic Lead-β-Resorcylate(MBLR)
2. Monobasic Copper-β-Resorcylate(MBCR)
3. β-HMX

*Dr. Anurag
Dr. Anurag
SEZ*

GMS SECRETARIAT O F BHANDARA	
No.	A/84
Date	07/01/2020
GR	<i>[Signature]</i>
AGN	PJMM
Section	RF

[Signature]
S R Gore, Se "B"
For Director, HEMRL.

Lab:
Ahtenkar
Ph. Director
14/01/2020

[Signature]
7/1/20

10.29 11:10a page 3

Specification of monobasic Lead- β -Resorcylate

Specification No.: HEMRL/SRP/Spec/MBLR/10

<u>Sl. No.</u>	<u>Characteristics</u>	<u>Percentage Composition</u>
1	Lead content	56 \pm 2.0
2	Free acidity as acetic Acid	0.5 Max.
3	Volatile matters at 105 ^o C	0.2 Max
4	Water soluble Sulphates	0.05 Max
5	Particle size	< 75 μ m
6	Water soluble chloride as NaCl	0.05 Max.

Amit
Dr. Anil Mishra
S.C.C.