


CAT. NO.14-243

AMENDMENTS

DRG(I)	NATURE
ES/14/14	DRG. PROVISIONALLY DT-19-1-71 SEALED.
	sd/-xx SSO-II

DRG.RETRACED
WITH ALL AMEND-
MENTS UPTO /B
VIDE DCC(I) NO.
ES/E2/234
DT: 15-6-85/
27/97 ACQA (DRG.)



ब्रूकेंस्च्लाउट प्र-12-ए
यह याति सभा छाड़ी/जारी
हार दी गई है
दिनांक:
Date : 16-06-21
क. क. म./सी. डी. ज.
त्रिवेणी: फॉर्म/सीडी

Freimäß.toleranz: grab DIN 7168
FOR Measures without
Special tolerances = rough DIN 7168

B	Material material	Polyamid 1 oliv	Brückenschlauchboot Pr-12-E	Datum gezeichnet Signed	Name sd/-
			Holmgurt	24-4-67	
			Flat type Pr-12-E	geputt	2-5-67 TA1
			Strap Saddle Assembly	checked	3-5-67


zeichnungs Nr
drawing No. 14-243
checked by
compared by

DETAILED BY
PROV/10733
SPECIFICATION NO: IND/ENG
14-243

ITEM NO	DRG. NO	NOMENCLATURE	MATERIAL
1	14-243/1	BUCKLE CLAMPING	(63-37) BRASS IS:410
2	-	STRAP	POLYAMID ★
3	14-243/2	CRIMP, SADDLE STRAP	(63-37) BRASS IS:410

8 7 6 5 4

A MENDMENTS.		C	
D.C.(1): NATURE.			
E.S./14 DRAWING PROVISIONALLY DT. 19.1.71 SEALED.			
S.S.O. II C.I.E.			
C E S P R O V I O N A L L Y			
F R E I M A B T O L E R A N Z E N: g r o b D I N 7 1 6 8.			
F R E I M A B T O L E R A N Z E N: f o r m e a s u r e s w i t h o u t.			
S P E C I A L T O L E R A N C E S = rough DIN 7168.			
1 6 - 5 6 - 2 1			
M a t e r i a l M a j s t a b :		M a t e r i a l M a j s t a b :	
M a s t a b :		M a s t a b :	
B r ü c k e n s c h l a u c h b o o l P r - 1 2 - E		B r ü c k e n s c 	
K r a m p e f ü r 		K r a m p e f ü r H o l m g u r t	
F L O A T T y p e P r - 1 2 - E		F L O A T T y p e 	
C r a m p f ü r s 		C r a m p f ü r s a d d l e s t r a p	
3. 5. - 6. 7		3. 5. - 6. 7	
T.L		T.L	
2. 5. - 6. 7		2. 5. - 6. 7	
T.A 1		T.A 1	
S.d. x.		S.d. x.	
20. 4. - 6. 7		20. 4. - 6. 7	
gezeichnet		gezeichnet	
Singed		Singed	
checked		checked	
Date		Date	
Name		Name	
M a j s t a b :		M a j s t a b :	
M a t e r i a l M a j s t a b :		M a t e r i a l M a j s t a b :	
Measur e		Measur e	
1: 1		1: 1	
C r a m p f ü r S t r i n g P i e c e		C r a m p f ü r S t r i n g P i e c e	
Zeichnungs-Nr. 14-243/2		Drawing-No. 14-243/2	



AMENDMENT		2		3		4		5		6		7		8	
D.C.(I)		NATURE		F		E		D		C		B		A	
DRAWING PROVISIONALLY SEAL'D DT 19-1-71		Sd/- SSO II		P		DRG RETRACED		A/QQA(DRG)		J		K		L	
E.S/14/14		RETRACED		M		N		O		P		Q		R	
F		G		H		I		J		K		L		M	
2.5		R20		6		2.5		R2		5		R2.5		13	
2.5		R15		8		8		R8		51		+0.3		+0.5	
10		R15		A		A		R15		67		6.5		6.5	
28		28		10		10		10		51		63		50	
66		28		28		6.5		6.5		63		50		5.4	
2.5		R2.7		R2.5		5.4		R2.7		6.5		6.5		Schnitt A-A	
CUT A-A		Freimachtoleranzen: grab DIN 7168		for measures without special tolerances = rough DIN 7168		B		A		B		C		D	
Material		Pos.1. Rübelbronzee (Sonder-Nr. 59 Cad)		Material		Brückenschlauchboot Pr-12-E		gezeichnet		Datum		Name		RETRACED	
Maßstab		Pos.2. M 6 63 Cadmeist		measure		Klemmschnalle für Holzgurt		signiert		date		name		COMPPARED BY: <i>DRG</i>	
1:1		FLOAT type Pr-12-E		1:1		Clamping buckle for Saddle strap		geprüft		21-4-67		Sd/-		CHECKED BY: <i>TA!</i>	
6		7		6		5		5		4		3		3-5-67	
Zeichnungs Nr.		14-243/1		drawing No.		14-243/1		Zeichnungs Nr.		14-243/1		Zeichnungs Nr.		14-243/1	

COPY ISSUED BY CDD/CAD
वह प्राप्त सा दृष्टि का एक प्राप्त हो।
द्वारा दी गई है। क्रमांक / संग्रहीत
दिनांक: Date : 16-06-71
16-06-71

RETRACED BY: *DRG* CHECKED BY: *TA!*
COMPPARED BY: *DRG*