

Sub:- Pre-qualification Criteria for Moulded Plastic Partition & Moulded Plastic Tray.
Ref:- M/F&CC letter No. 4064/F&CC/22/Prov dated 29/09/2022.






Item/Component	A. Manufacturer/OEM	
	Essential Facilities	Desirable Facilities
1447303013 Moulded Plastic Partition to OFAJ Drg No. FS-3013 for Base	<ul style="list-style-type: none"> Injection Moulding Machine. 	<ul style="list-style-type: none"> Mould Manufacturing Facilities
1447302995 Moulded Plastic Tray to OFAJ Drg. No. FS-2995 A for Liner 84MM HEDP 502		
	ii) Firm will arrange the required desirable facilities from reputed source, if the same is not available with firm. The firm has to enclose MOU/Tie - UP letter for such desirable facilities. iii) Firm has to submit the list of available Plant & Machinery and inspection facilities.	


*Shell Body
84mm HEDP
502*
*Liner for
84mm HEDP
502*


B. Other standard terms and conditions will be as under:


- 1) Firm has to arrange the inspection facilities and requisite test certificates. Firm must confirm the same in technical bid.
- 2) The firm has to arrange for suitable packing of the stores to protect the store damage during storage & transit deterioration , if firm gets the order . Firm must confirm the same in their technical bid.

Submitted for kind approval please.

 DGM/MF&CC (GO/DM)
 JGM/FS&EDS (GO/User)
 AWM/QC-II (DO/QC) RA II
 AWM/DM-4 (Member/DM)
 AWM/FS (Member/User)


 AGM/UD
 (AGM/Quality Control)


 AGM/KS
 (AGM/Cost Centre)

(Approved / Not Approved)

 GENERAL MANAGER