



AV 7222.005

TH10-160-041
AL 5940.027



A-A
M5.1 Scale 5:1
4 Holes $\phi 2.2A5$
40mm $\phi 2.2A5$



CAT/PT.No.
5330-016268

*Размер для справок. *Dimension for reference.

Up dated up to 31/5/89 DO (O L F)

АЦ7.222.005

A2
51

PLASTIC STRIP

ISSUE	DATE	REFERENCE
1	1.12.87	D.C.(1)-1231-I(P). DRG. PROV. SEALED
2	5.10.90	DRG. SEALED. D.C.(1)-5421-I.
3	27.4.92	(a) D.C.(1)-5562-I. NON AMENDED & CAT/PT No. ADDED D.C.(1)-5421-I.

MATERIAL:
SMOKED ACRYLIC PLASTIC

SHEET	MASS	SCALE
10F1	0.01	1:1
HEAVY VEHICLES FACTORY AVADI		

D.C.(1)-1231-I(P), 5421-I, 5562-I.

CDL

APPROVED	P. S. S.	26.5.85
CHECKED	K. Damodan	26.5.85
DRAWN	M. Manojkumar	11/5/85

SIZE	ZONE	REF NO.	PART No	NOMENCLATURE	Qty	REMARKS
				<u>DOCUMENTS</u>		
11			AQ5. 940. 027 C6	Assembly Drawing		
				<u>COMPONENTS</u>		
11	1		AQ7. 222. 005	Plate	1	
11	2		AQ8 600. 273	Strip	, 2	
				<u>STANDARD ITEMS</u>		
	3		Rivet 2x 6, ANODIC OXIDIZ- ING OCT 134089-80		4	MAY BE SUBSTITU- TED AS PER GOST 10300-80

(a) D.C.(1)-5562-I.
CAT/PT.No ADDED 27.4.92
D.C.(1)-5421-I
PT LIST SEALED 5.10.90

(A) D.C.(1):-1475-I(P)
STANDARD ITEM NOT AMENDED. 1.8.90 up dated up to 31/5/89 DO(D.E.F)

D.C.(1)-1231-RP
PART LIST PROV.SEALED 3.12.87

AM APPROVAL OF DOCUMENT SIGNATURE DATE

DESIGNER

CHECKED BY A.David 24.5.85

INSPECTOR

APPROVED 25.5.85

AQ5.940.027

LIGHT FILTER

A2
46

LETTER SHEET No.OF SHEET

HEAVY VEHICLES FACTORY


AVADI

55220070577B

THNO-160-040CB AЦ3 895.048

D.C.(1):-1231-I(P), 5421-I,
5562-I.

17215 40



- 1*Dimension should be ensured with tool.
2. Cracks on plate are not allowed
3. Projection of rivets 3 beyond surface of plate 1 is not allowed.

(a)

CAT/PT. No.
.1240-002425

up dated up to 31/5/89 00(07.8)



AЦ5.940.027CB			A2 45		
(a) 27.4.92 D.C.(1):-5562-I. CAT/PT.No. ADDED D.C.(1):-5421-I DRG SEALED 5.10.90 D.C.(1):-1231-I(P) DRG. PROV. SEALED 1.12.87.			LIGHT FILTER ASSEMBLY DRAWING		
ISSUE	DATE	REFERENCE	SHEET	MASS	SCALE
1	1.12.87.	D.C.(1):-1231-I(P) DRG. PROV. SEALED	1 OF 1	0.02	1:1
APPROVED	MATERIAL:		HEAVY VEHICLES FACTORY		
CHECKED			AVADI		
DRAWN					

AU8600273

Rz 160/ (✓)


T470-160-042

Rz40/ 2отб $\phi 2.2A5$
2 holes $\phi 2.2 A5$



1. Литые под давлением гр. I ГОСТ-4227-79
2. Покрытие Ан. Окс. м. хр.
3. Остальные технические требования по ТУЗ-3.1000-74

1. Pressure die casting gr. I OST 3-4227-79
2. Coating: Anodic oxidation, dull, chromating
3. The rest of the technical requirements are according to TYZ-3.1000-74



up dated up to 31/5/89 DO (O.L.F)

			A48.600.273			(A2/68)
✓	5.10.90	D.C(1)-5421-1. DRG. SEALED	STRIP	SHEET	MASS	SCALE
	1/12.87	D.C(1)-1231-I(P). DRG. PROV. SEALED		1 of 1	0.004	2:1
ISSUE	DATE	REFERENCE				
APPROVED		15.5.83	MATERIAL: Aluminium alloy A12 GOST 2685-75	HEAVY VEHICLES FACTORY AVADI (4cl)		
CHECKED		30/1/85				
DRAWN		R. Damodan 19.3.85				

D.C(1)-1231-I(P), 5421-I.