






THIS DOCUMENT AND THE INFORMATION CONTAINED IN IT ARE PROPRIETARY AND CONFIDENTIAL TO OFT. NO PERSON OR ENTITY IS ALLOWED TO COPY, REPRINT, REPRODUCE OR PUBLISH ANY PART OF THIS DOCUMENT, NOR DISCLOSE ITS CONTENTS TO OTHERS, NOR MAKE ANY USE OF IT, NOR ALLOW OR ASSIST OTHERS TO MAKE ANY USE OF IT UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF OFT AND THEN ONLY TO THE EXTENT AUTHORIZED.
COPYRIGHT-OFT.

- NOTES:
- INTERPRET THIS DRAWING IAW ASME Y14.100M.
 - MATERIAL: CARBON STEEL PLATE SAE 1020 PER ASTM A827.
 - UNLESS OTHERWISE SPECIFIED, UNDEFINED MACHINED FILLET RADII SHALL BE 0.2...0.3.
 - DEBURR AND REMOVE SHARP EDGES, APPROX. 0.2X45 Deg.
 - ALL DIMENSIONS ARE BEFORE COATING.
 - DEFINED DIMENSIONS ARE AFTER COATING.
 - GENERAL TOLERANCES ACCORDING TO ISO 2768-m.
 - COATING: A DRY FILM LUBRICATION IN A FLUOROPOLYMER ORGANIC RESIN CLASS 2 COLOR MATT BLACK TYPE I; 5-13 MICRON THICK PER VS-1-3-1-165 (OR EQUIVALENT).
 - PROTECT THREADS AFTER PHOSPHATE.
 - QUALITY ASSURANCE PROVISIONS:
 - QUALITY ASSURANCE PROVISIONS FOR THIS ITEM PER RDMQD00012P.
 - MAJOR CHARACTERISTICS NRS 101 TO 102.
 - PARENTHETICAL FIGURES ARE FOR REFERENCE ONLY.
 - IDENTIFY PER MIL-STD-130 BY LABELLING. CHARACTERS 3.2 MM HIGH MEETING REQUIREMENTS OF MIL-STD-202F METHOD 215J. LOCATION APPROX. AS SHOWN. AS SHOWN.
 - PACKAGING AND PACKING: THE FINISHED PART SHALL BE PRESERVED AND PACKAGED IN ACCORDANCE WITH MANUFACTURER'S BEST COMMERCIAL PRACTICE.

SHEET REV STATUS
ALL SHEETS ARE THE SAME REVISION

REVISION RECORD				
REV	ECO	DESCRIPTION	DATE	APVD
01		Freeze	18-Sep-17	Y. Shapira
--	T00003	Identical To Previous Released	08-Apr-18	L. Goldshtein



SEE ATTACHED MEDIA

UNLESS OTHERWISE SPECIFIED		SIGNATURE		DATE	
DIMENSIONS ARE IN MM PER ASME Y14.5M - 1994		<i>[Signature]</i>		11/17/17	
TOLERANCES		CHECKED		TITLE	
LINEAR	ANGULAR	<i>[Signature]</i>		ORDNANCE FACTORY TIRUCHIRAPPALLI	
SEE NOTE 7	SEE NOTE 7	HOS/DDO		FOR: LIMITER ASSY	
1st ANGLE PROJECTION		OFFICER/PRODN		OF: 12.7MM SRCG	
SURFACE TEXTURE IN Micro METER		OFFICER/QC		SIZE	CAGE CODE
<i>[Signature]</i>		OFFICER/DDO		C	2291A
PROJECT OFFICER		OFFICER/DDO		DWG NO	Y17478A-00
		<i>[Signature]</i>		SCALE	1:1
				AUTOMATED DRAWING (SW)	Y17478A-00
				SHEET 1 OF 1	

DWG NO
Y17478A-00

SH
1