

ITEM SPECIFICATION: - GROUND STAINLESS STEEL ROD TO SPECIFICATION SS-EN 10088-3-1.4523 TO SIZE 10 MM +/- 0.05 MM IN STRAIGHT LENGTH OF 2-3 METERS.

ITEM CODE: - 0321010709

PRE-QUALIFICATION CRITERIA :-

A. Authorized/Dealers/Sole Selling Agent/Stockist/Trade.

1) As per latest SOP guidelines for vendor Registration for Procurement of Items.

B. Manufacturer/OEM.

i) Required facilities to manufacture the store as per specified drawing.

ESSENTIAL FACILITIES.

- Induction Furnace 2 MT (Min) / Electrical arc furnace 5 MT (Min)\
- Metal Refining Facility.
- Ingot Casting Machine /Mould.
- Suitable Rolling Facility as per requirement.
- Cutting Machine.
- Suitable Heat Treatment Facility.

DESIRABLE FACILITIES.

- Ultrasonic Testing Facility
- Spectrometer for Chemical Analysis.
- Universal Tensile Testing Machine.
- Hardness Testing Machine.
- Metallurgical Microscope.\

ii) Firm will arrange the required desirable facilities from reputed source, if the same is not available with firm. The firm has to enclose MOU/Tie up letter of the reputed source for outsourcing desirable facilities along with the technical bid offered.

iii) Firm has to submit the list of available Plant & Machinery and inspection facilities.

C. Other standard terms & conditions will be as under :-

1. Firm has to arrange the inspection facilities and requisite test certificate from Govt. approved/NABL Lab. Firm must confirm the same in technical bid.
2. All the required facilities, whether in-house or outsourced should be capable and suitable for producing/supplying the component as per quality requirement projected in the monitoring instruction/drawings/specifications. Firm must confirm the same in their technical bid along with self-declaration of capability of firm and its sub vendors.
3. The firm has to arrange appropriate identification on each package and/or rod with suitable marking such as name of manufacturer/supplier, alloy designation, condition of the material, Cast Heat code & rod size etc. firm has to arrange for suitable packing of the stores to protect the store damage during storage & transit deterioration, if firm gets the order. Firm must confirm the same in their technical bid.
4. The firm shall have supplied same/similar category of items to other firms. The firm will provide the details of same/similar category of items supplied to other firms in last three year with details of purchaser.