



DRG.No. 0204 03 02 02 05 000 000B

SEM. TOL. FINE/MEDIUM/COARSE
CLASS TO IS: 2102


DRG. CONVENTIONS CONFORM TO INDIAN STD.
DIMN. IN mm UNLESS OTHERWISE STATED




SECTION D-D




SECTION E-E




SECTION F-F
SCALE 1:1




SECTION B-B
SCALE 1:1




SECTION A-A




SECTION C-C




SECTION G-G




SECTION H-H




DETAIL X
SCALE 2:1




SECTION I-I



SECTION J-J



CONTROL COPY No. 2





Received on 26/09/16

ITEM NO.	NOMENCLATURE	DRAWING NUMBER	QTY.
1	INSERT HAND GUARD	0204 03 02 02 05 001 00DC	2

1	16/8/16	M-35	DRG. REVISED	CD	GO
Sr. No.	DATE	AUTHORITY	BRIEF RECORD	ZONE	SIGN
DRN. PRANAV	CHD.	For Director	MATERIAL :- LONG FIBRE REINFORCED NYLON 66(GF-20%) Gd Replet 312001 HI HSIJBK OR EQUIVALENT		
APPD. DATE	16/08/2016		PROTECTIVE FINISH :-		
SEALED					
DATE					

SCALE:- 1:2	EST. MASS	TITLE :-
DESIGN AUTHORITY	ARDE	HAND GUARD MOULDING
PUNE 411021		
DRG.No.	0204	03020205000000DB
PART No.	IC	SSSAAACSS
DS CAT. No.		A-HSF

DRG NO	0	2	0	4	IC	0	3	SS	0	2	S	0	0	AA	0	2	A	0	0	1	C	0	0	0	SS	A
GENTOL. FINE/MEDIUM/COARSE CLASS TO IS:2102												DRAWING CONVENTION CONFIRM TO INDIAN STDS. DIMN.IN mm UNLESS OTHERWISE STATED														



CONTROL COPY No. 2

Received on 26/09/16

- NOTES:
- 1) SURFACE FIINSH No.8 ON THIS SIDE
 - 2) REMOVE ALL SHARP EDGES AND BURRS.

R NO	DATE	AUTHORITY	BRIEF RECORD	ZONE	CD	GO																				
DRN PRANAV	CHD	16/08/2016	MATERIAL STEEL TO IS:6911-1992, Gd X20Cr25Ni20 ORSTEEL TO BS:1449, Pt.II 1983, STEEL 310S24																							
APPD DATE	16/08/2016	FOR DIRECTOR	PROTECTIVE FINISH																							
SEALED DATE																										
SCALE 1:1	EST MASS	TITLE	REFLECTOR																							
DESIGN AUTHORITY ARDE																										
DRG NO	0	2	0	4	IC	0	3	SS	0	2	S	0	0	AA	0	2	A	0	0	1	C	0	0	0	SS	A
PART NO	DS CAT NO		AHSP																							