Sub: - Pre-qualification Criteria - Reg.

Ref:- M/F&CC letter No. 4064/OTE/M/F&CC/PQ/29 dated 16/12/2019.

Item	A. Authorized Agents /Dealers Or Trader / Stockist	B. Essential Facilities	C. Desirable Facilities
0611525033 ALUMINIUM ALLOY STRIP TO SPECN. EN: 485-2, EN AW 2014 IN T6 CONDITION SIZE: 3.5+0.15 MM THICK x 1 MTR WIDTH x 2.5 MTR LENGTH ITEM CODE: 0611525033 END USE: FIN 84MM HEDP 502	As per SOP guidlines mentioned in the OFB Procurement Manual.	 Aluminium Melting & Casting Facility. Suitable Rolling plant capable to manufacture the sheet as per requirement. Slitting/Shearing facility. Solutionising & Ageing (heat treatment) facility as per requirement. Universal Testing M/C Hardness Testing M/C Wet analysis for chemical testing (or) spectrometer. 	 Metallurgical Microscope. Other chemical & mechanical inspection facility as mentioned in the specification.

D. Other standard terms & conditions will be as under

- 1. Firm will arrange the required desirable facilities from reputed source, if the same is not available with the firm. The firm has to enclose MOU / Tie-up letter of the reputed source for outsourcing desirable facilities along with the technical bid offered.
- 2. Firm has to ensure the surface of the sheet should be free from any kind of surface imperfection such as dent, pit marks, scratches, scoring etc. Firm must confirm the same in the technical bid.
- 3. Firm has to arrange the inspection facilities and requisite test certificates from Govt Approved/NABL Lab. Firm must confirm the same in technical bid.
- 4. All the facilities, whether in-house or outsourced should be capable and suitable for producing the component as per quality requirement projected in the monitoring instruction/ Drg/Specification. Firm must confirm the same in their technical Bid & submit the available Plant & Machinery list and Inspection facilities in detail along with self-declaration of capability of firm & its sub vendors.
- 5. Registration of participating is essential/mandatory. Firm must confirm the same in their technical bid.
- 6. Firm has to arrange appropriate identification on each package and sheet with suitable marking, indicating the name of the manufacturer, alloy designation and condition of the material etc., Firm has to arrange suitable packing of the stores to protect the store damage during storage & transit deterioration, if firm gets the order. Firm must confirm the same in their technical Bid.

7. The firm shall have supplied similar category of items to the other firms. The firm will provide the details of similar category of items manufactured and supplied to the other firms in last three year with details of purchaser.

Submitted for kind approval please.

WM/DM (Member/ DM) WM /FS 21 bilizare

(Member/User)

Zuor

Jt.GM/DM (GO/DM) JTGM/QCIM (Member/QC) Jt.GM/F5 2)

AGM / QC (AGM/Quality Control) AGM/ FS& NF 30'
(AGM/Cost Centre)

Approved / Not Approved

×

GENERAL MANAGER