

- CM 5271 1
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD, SLOTTED, GAUGE 10 X 20 mm TO CAT No. GI / IGA 1805 2
- RIVETS, STEEL 90°CSK HD 6 mm X 26 mm TO CAT No. GI/IGA 1538 1
- WASHERS, GI / IGA 1621 1

- AMG 65330 2
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD, SLOTTED, GAUGE 10 X 20 mm TO CAT No. GI / IGA 1805 8
- RIVETS, STEEL 90° COUNTERSUNK HEAD, 6 mm X 26 mm TO CAT No. GI / IGA 1538 4
- WASHERS GI / IGA 1621 4

- CM 461 1
- CM 462 1
- CM 463 1
- SCREWS, WOOD, IRON, COUNTERSUNK, HEAD SLOTTED, GAUGE 10 X 20 mm TO CAT GI / IGA 1805 4

- CM 5183 8
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD, SLOTTED, GAUGE 10 X 20 mm TO CAT No. GI / IGA 1805 48

- 8115-000008 SHT 5 2
- HANDLE PLATE 140 X 70 X 20 2
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD SLOTTED, GAUGE, 14 X 4.5 mm, TO CAT No. GI / IGA 1829 4
- RIVETS, STEEL, FLAT HD 6 mm X 60 mm 4
- WASHERS GI / IGA 1621 4



- BATTEN REST 360 X 50 X 40
- SCREWS, WOOD, IRON, COUNTERSUNK HD, SLOTTED, GAUGE 12 X 50 mm TO CAT No. GI / IGA 1820 4

- 8115-000008 SHT 3 1
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD, SLOTTED, GAUGE 14 X 45 mm TO CAT No. GI / IGA 1829 30

- 8115-000008 SHT 4 2
- SCREWS, WOOD, IRON, COUNTERSUNK HEAD, SLOTTED, GAUGE 12 X 45 mm TO CAT No. GI / IGA 1819 16

NOTES:-
WOOD SPECIES * BIJASAL, SAL, SISSOO OR GURJAN * OR * TEAK * OF Grp - I TO SPEC IS: 5995 - 1993
WOOD TO BE PRESERVED ACCORDINGLY TO " GROUP B " OF SPEC IS : 401 - 1982
BOX TO BE PAINTED WITH READY MIXED PAINT, QUICK DRYING, MATT FOR GENERAL PURPOSE, GREEN OLIVE (IS : 5 ISC 220) TO SPEC IS : 168
LID TO BE COVERED WITH CANVAS COTTON OG AS PER DRG No. 8115 - 000008 SHT 6
SCREWS TO BE GREASED BEFORE INSERTION ALL **STEEL FITTINGS**, TO BE PAINTED BEFORE FIXING.
ALL FELT TO BE MOTHPROOFED
TO BE STENCILED ON PLANKS FRONT & REAR - 19 mm WITH WHITE PAINTS :- BOX, WOOD, PLATE BASE, IA 8115 - 000008
EQUIPMENT, 81 mm MOR, E1*
TO BE STAMPED (13 mm) ON BOTH SIDES BELOW THE HANDLES :- BOX, WOOD PLATE BASE, 1 A.8115 - 000008

CONTRACTOR'S INITIALS _____ YEAR OF SUPPLY _____
FOR PAINTING REFER SPECN WPN / GEN / 10 (C)
TO CHECK THE STRENGTH OF THE JOINT, JOLT & DROP TEST BE CARRIED OUT AS PER SPEC 1A 948



DRAWN - CHD -		SCANNED & PRINTED WITHOUT CHANGE		DATE -		CQA(W), JABALPUR	
DATE - 22-14		AMENDMENTS		SCALE - 1:2		DESIGN No. CIA / WPN / 1290	
PREV DC Nos - 10520-W, 11805-W, 13731-W, 14051-W, 16994-W, 18812-W, 19091-W, 19338-W & 19339-W DT 22-01-14		MATERIAL:-		FOR CQA(W) ERTN marks - 74		PART No. 8115-000008	
DRG SEALED - 11808-W DT 21-12-07		PROTECTIVE FINISH:-		BOX, WOOD, PLATE, BASE, 1A, EQUIPMENT, 81 mm, MOR, E1		IS CAT No. 8115-000008	
DO CQA(W)		8 SHTS		8 SHTS		SHT 1	


DS CAT No
8115-000008
6 SHTS SHT 2

FOR EXPLANATION OF DIMENSIONING ETC, SEE ARDE NOTE
SHEET No 1
DIMENSIONS ARE IN mm



TO BE FIXED WITH
WOODEN PIN

AMG 62467—3
SCREWS, WOOD, IRON, ROUND
HEAD, SLOTTED, GAUGE 12 x 55mm
TO CAT No GI/IGA 2496—3
WASHER, STEEL 17mm x 7mm x 2mm—3

WEDGES 60 x 60 x 35 HIGH—3



SECTION A-A



NOTE -PLANKS JOINED BY TONGUE
AND GROOVE JOINT


DATE	AUTHORITY	ZONE	NATURE	SIC	SIG
				APSP	DO
20-10-03	18812-W		HINDI NOMEN ADDED		
6 10 93	17741-W		A1 SIZE DRG REDUCED TO A3 PREV DC(I)Nos 11806-W & 13731-W DT-11 1 72		
AMENDMENTS					

CHIEF D'MAN	ASSY DRG	CQA (W) JABALPUR
DO	ESTD MASS	
2-SP	DATE 24 9 63	DESIGN No 5 SHTS
CPG SEALED 11806-W 21 12 67 DO CQA(W)	SCALE- NTS	CIA/WPN/1290 SHT 2
	DPN	PAPT No
	CHD	DS CAT No 5 SHTS 8115-000008 SHT 2
	लिड	लिड

PREPARED BY *Pran Anand* CHECKED BY *KM* DATE 4.7.94


D S CAT No.
8115-000008
6 SHTS SHT 3

FOR EXPLANATION OF DIMENSIONING ETC, SEE ARDE NOTE
SHEET No.1
DIMENSIONS ARE IN mm.



WEDGE 80x80x40 HIGH


SCREWS, WOOD, IRON, COUNTERSUNK, HEAD
SLOTTED, GAUGE 12x55 mm TO CAT No.
G1/IGA 1821-----3



SECTION A-A

BATTENS 594x55x20 TO BE FITTED-----2

SCREWS, WOOD, IRON, COUNTERSUNK, HEAD,
SLOTTED, GAUGE 14x40 mm TO CAT No.
G1/IGA 1828-----12



NOTE:-PLANKS JOINED BY TONGUE
AND GROOVE JOINT

HOTCHKISS BRANDT
52 CHAMPS ELYSEES
PARIS 8^e

CHIEF MAN <i>[Signature]</i>	ASSY DRG.	CQA(W) JABALPUR
DO <i>[Signature]</i>	ESTD MASS	
AHSP <i>[Signature]</i>	DATE 24.9.65	DESIGN No. 6 SHTS
FOR CQA(W)	SCALE NTS	CIA/WPN/1290 SHT 3
DRG. SEALED 11806-W 21.12.67 DO CQA(W)	DRN	PART No.
	CHD	D S CAT No. 6 SHTS
		8115-000008 SHT 3


DATE	AUTHORITY	ZONE	NATURE	SIG AHSP	SIG DO
22-10-03	18012-W		HINDII NOMEN. ADDED.		
6.10.93	17741-W		A1 SIZE DRG. REDUCED TO A3 PREV. DC(I) Nos. 10520-W, 11806-W, & 13731-W/DT-11.1.72		
AMENDMENTS					

बॉटम प्लेट BOTTOM PLATE

DS CAT No
8115-000008

FOR EXPLANATION OF DIMENSIONING ETC, SEE ARDE NOTE
SHEET No 1
DIMENSIONS ARE IN mm

6 SHTS SHT4



NOTES:- IF TWO WOODEN PLANKS USED INSTEAD OF ONE,
BOTH THE PLANKS BE JOINED BY TONG AND
GROOVE JOINT; (REFER 8115-000008, SHT-2).

HOTCHKISS BRANDT
52 CHAMPS ELYSEES
PARIS 8^e

DATE	AUTHORITY	ZONE	NATURE	SIG AHSP	SIG DO
22-01-14	15352-W		NOTES ADDED.		
22-10-03	10812-W		HINDI NOMEN. ADDED.		
6.10.93	17741-W		A2 SIZE DRG. REDUCED TO A3 PREV. DC(I) Nos. 10520-W & 11806-W/DT-21.12.67		
AMENDMENTS					

CHIEF D'HAN	ASSY DRG.	CQA(W) JABALPUR
AHSP FOR CQA(W)	ESTD MASS	DESIGN No. 6 SHTS
DRG. SEALED 11806-W 21.12.67 DO CQA(W)	DATE 24.9.65	CIA/WPN/1290 SHT 4
	SCALE NTS	PART No.
	DRN	DS CAT No. 6 SHTS
	CHD	8115-000008 SHT 4

PLANK, FRONT & REAR


प्लैंक फ्रंट
सर्व रियर

REDUCED AT CQA(W) JABALPUR
PREPARED BY [Signature] CHECKED BY [Signature] DATE 19.7.54

REDUCED AT CQA(W) JABALPUR
PREPARED BY NSC CHECKED BY Kulex DATE 30.6.94.

DS CAT No.
8115-000008
6SHTS SHT5

FOR EXPLANATION OF DIMENSIONING ETC. SEE ARDE
NOTE SHEET No. 1 DIMENSIONS ARE IN mm.



NOTES:- IF TWO WOODEN PLANKS USED INSTEAD OF ONE,
BOTH THE PLANKS BE JOINED BY TONG AND GROOVE
JOINT; (REFER 8115-000008, SHT -2).

DATE	AUTHORITY	ZONE	NATURE	SIG	SIG
AMENDMENTS					
22-01-14	19352-W		NOTES ADDED.		
22-10-03	16812-W		HINDI NOMEN. ADDED.		
6.10.93	17741-W		A2 SIZE DRG REDUCED TO A3.		
			PREV DC(I) Nos. 10520-W & 11806-W Dt. 21.12.67.		

CHIEF DESIGNER <i>DO</i>	ASSY DRG	CQA (W) JABALPUR
DESIGNER <i>DO</i>	ESTD MASS	
FOR COA(W)	DATE. 24.9.65	DESIGN No. 6 SHTS
DRG SEALED	SCALE- NTS	CIA/WPN/1290 SHT5
11806-W	DRN	PART No.
21.12.67	CHD	DS CAT No. 6SHTS
DO CQA(W)		8115-000008 SHT5
PLANK, SIDE प्लेक साइड		


DS CAT No.
8115-000008
6 SHTS SHT 6

FOR EXPLANATION OF DIMENSIONING ETC, SEE ARDE NOTE
SHEET No.1
DIMENSIONS ARE IN mm.

COPPER TACKS (3/4) LONG
AS REQUIRED

CANVAS COTTON

LEATHER STRIP 2530 (APPROX)
LONG x 20 WIDE x 1.5 THICK TO
BE FITTED WITH CANVAS ON
ALL SIDES OF THE LID WITH
COPPER TACKS



MATERIAL SPEC. FOR CANVAS AND LEATHER	
1	CANVAS COTTON, 815 g TO SPEC. IS: 1424-1977 (H2/8305-000127)
2	LEATHER SPEC. IS: 580; 1973 (DI/IDA 0394 OR IDA 0396)

22-10-03	16812-W		HINDI NOMN. ADDED.		
6.10.93	17741-W		A1 SIZE DRG. REDUCED TO A3 PREV. DC (I) Nos. 10520-W, 11806-W, 14031-W & 16594-W/DT-17.10.87		
DATE	AUTHORITY	ZONE	NATURE	SIG AHS?	SIG DO
AMENDMENTS					

CHIEF PP DO	ASSY DRG	CQA (W) JAALPUR
DO	ESTD MASS	
RESP FOR CQA(W)	DATE 24.9.65	DESIGN No. 6 SHTS CIA/WPN/1298 SHT 6
CPG SEALED 11806-W 21.12.67 DO CQA(W)	SCALE- NTS	PART No.
	DRN	DS CAT No. 6SHTS 8115-000008 SHT 6
	CHD	
फिटिंग आफ कैनवास कवर आन बॉक्स FITTING OF CANVAS COVER ON BOX		