WIRE TERMINATION TION	PROJECTECT HYDERABADBAD

	AQ	IDES IGNATION		DESCRIPTION	QTV	REMARK
145				Miscellaneous items		Costing
				Wire AKFIMO, 50163		
				Gost 1065-75 2=1450	1	0,9
	6			Mingelated sleeve III		
				W1 784529350, 30263		Costing
				Gel 00051009024 .1735 #25	1	0.9
			-	Unpointed company III	-	
		4		TB-90-355-3,9 -	-	
		1	*	FARTS Gost 19034-73 2-20	1	
	2	765-83-62		Retainer	1	-
	3	700-42-43	-	700R40606236-13	1	-
				PARTS		12.00
		765-88-63		RMissonlaneous items	1	
1 THE		700-42-44		Ricollar N#A-60	1	
		100=#5.044		STANDARD 95	1	
		the state		Miscellaneous Items	9	
				COLINER BASS A-80		
				Standard P. 010, 501.63	1	Contin
				Ocst 1066-75 \$1450	1	0,9
1				MATERIAL	-	Coatin
				Wire A KPHMO, 50163	+	0.9
	6	1		Gost Hoster 5 1 = 500 III	1	-
TT				TB50-355-3,5		
				Ungest 19034-73 -23	1	-
				TB-50-355		
=				Gordo1983652362426	1	
				PARTS	-	-
				retainer	-	-
	2	700-32-243		and the second s	11	-
	3	700-42-44	1	Ring C.L.	+	
					+	-
H	4			700-88-0 700 - 88 - C	6236	36
			NIRE	TERMINATION ORDN	SHT J	FACTOR

	700-	-88-C5239	
		SHI	NO NO OF SHIS
			127 135
a	WIRE TERMINATION	ORDNANC PROJ	

IFT

ZONE REF	DESIGNATION	DESCRIPTION Technical papers	QTV	REMARK
	700-08-0623906	Assembly drawing		+12,12
	700-80-3TT	Technical		
		Technical requirement	K	
		for manufacture and		
		laying of conductors		
		and cable units.		
	Standard 95	Alumindum		
		Aluminium guards	-	
+++	Standard 299	Bushing for plug	-+-	_
+++		Connectors	+	
+++			+	
+++		Material	+	
+++		Solder MOC 40	+	A.44
+++		Gost 21930-76	+	Net
		Solder Moc 51	-	NR 2
+++		Gost 21931-76	+	
			+	*
		Tape 1 101 -15	-	
		Go't 2162-78 10	+	
2		Red Warnish H4 -62	+	_
		0ST6-10-391-74		
3		21		
		Red enamel 114 223		
		Gost 14923-78		
	VARTART PARA		-	
	TANIA JES DELLE P	A MODIFICATIONS	-	
		1		
		700-88-65	239	
		SHT.N		FF SHT.
	WIRE	TERMINATION OPPNANOS		55
		ORDNANCE	ACTO	DRY

DESIGNATION	DESCRIPTION	QTV	REMA
7	SLeeve 308,0x1,3	x	
	Cost 5496-78 1=120	1	
++++	700-83-05239-02		
+++	Miscellaneous items		
++	Bushing BWP-11x7		
	Standard 299	1	
5	Collar MXA-35	+	
	Standard 95	++	
6	MATERIAL		
*	Wire AKPHMO, 50163	-	bat in
	Gost 1066-75 \$450	1	0.9
7	Sleeve 3c8, 0x1, 3	++	
	Gost 5496-78 120	1	
	700-88-C5239-03	++	
	Miscellaneous items	++	
	Bushing BUP-18:9 Standard 299	1	
5	Collar MXA-50	++	_
	Standard 95	1	
	MATERIA L		
	Wire AKPHMO, 50, L63		etup
	Gost 1066-75 \$=550	1	,
	700-88-01		
		SHT.NO NO	DOFF SHI

RORMAN	ZONE	REF	DESIGNATION	DESCRIPTION	- QT	TY	REMARK
-	-	7		Sleeve 3c10,0x1.	3		
-				Gost 5496-78	20 1		
				700-88-Cb239-04			-
				Miscellaneous it	em		
_				Bushing BWP-18x1	2 1.10		
-				Standard 299	1		
		5		Collar M X A-50		-	
_				Standard 95	1		
				MATERIAL		-	Coatin
				Wire KPHM 0,50	L63	1	0.9
_		-		Gost 1066-75 2-	750 1		
		7		Sleeve 3cx 12x2		+	
				Gost 5496-78 1-1	20 1	1	
				700-88-Cb239-05			
				Miscellaneous it	and the second se		
				Bushing BWB 25x1	D I		
_	_	_		Standard 299	1	-	_
		5		Collar MXA-50		+	
-				Standard 95	1	4	
				Material		+	
				Wire KPHM 0.50 1	.63		Coatin
-	_			Gost 1066-75 1	50 1	-	0.9
				Sleeve 3cx10,0x	1.3	+	
_	_	-				+	
						+	
						Ι	
				700	-88-Cb239		
				WIRE TERMINATION	ORDNANCE PROJE	9 F	

-	FORMAT	ZONE	NGF N	DESIGNATION	DESCRIPTION	QTV	REMARKS
					Gost 5496-78 120	1	
					700-88-65 239.05		
					Miscellaneous item		
					Bushing BWF-29213		
					Standard - 299	1	
					Collar Mich -50 Standard 95		
					MATERIAL		
					Wire ARFAN, 5015		Cart
5					Gost 1066-75 4=800	1	
							-
			7		Sleeve BollxOn .		
					Gost 5496- 120	1	
					700-88-65 35-07		
				also.	Miscellaneous items		
					Bushi & BWF 25x15		
1	L				Standurd 1.9	1	
1	-					1	
			5		Collar MX A-00		
					Standard 95	1	
+							
					Maleria L		Chatle
				· · · ·	Wire AKP. DIO, 0 SC De3		
+					Gost 1066-75 10=950	1	0.0
1							
					Sleeve Jax16x2		
+					Gost 5496-78 £= 120		
					700-88-(5239-08		
			F		700-88- 65 2	239	
-		-				HT. NO	NO.OFF SM
1				HIRE TEL		130	135
	-	-	-		PR	ICE F	T

	TOJIC	284				
521	131	ANDAD	WIRE TERMINATION			
HS JO ON						
		30-88-00	52			
	L	150	-a 81-9645 7800			
			Sleeve Ja 20x2		4	₽
	L	1500	-X 52-9901 2800			
6.0		297	Wireckken 0,50			
gaits0 0			WATERIAL			
	L	56 P	Tebnet2 OE-A WM		++	+
			Cottar pin		5	
	L	srd 299	BWP 25819 Stand			+
			Buinaug			
		amet	A sucerelleneous 1			+
			700-88-CE239-09		\mp	
	Ŀ	150	-X 82-9675 1800		+	+
			Steeve Jo 16x2			\square
6*0		0011=	& 52-9901 7200			
uitseod		897	WITER KEHM 0.50			
			Material			
	L		Standard 95			
			Collar MWA-80		5	
	L		Standar 299			
		46	RUSTING BUTUSNA			
			Miscellaneous			4
REWARKS	VID		DESCRIPTION	DESIGNATION	NO	TORMA

251 YAOT2A=	SLL	WIRE TERMINATION				
HS 10.01	ON THE .	and the second s				
	536	20-88-00L				
-		and the second second second	a decision of the second			
	L	gary	100-42-104	٤		
		PARTS				-
		200-88-0226-03				
					\square	
6.0	-	0084 1066-75 1=900 Wirerkhing, 50163	and the second second	5	+	_
gaitsoð		ZAIOR OMHUY CARAN		-		
		IVICADVW		++		
	L	56 brebnet2				
		Collar M # A-50				
		Miscellaneous items				_
			and the second			
	L	Ring	100-42-104	E	H	
		PARTS		++		
		700-88-Cb236-02				
6*0		009-7 52-9901 1000				
anttso2		MITCH KFHMO 50163				
		Material		5		
	L	Standard 95				
		COLLET MAC A-50		7		
		Miscellaneous items	-			
	1	Buing	-700-42-38	5		
				2	-	
		PARTS PARTS				
		0 J201 00-(1)2	- town and the stand -	1	2	5
REMARKS	NID	DESCRIPTION	DESIGNATION	NORE	18	2

New Solution	DESIGNATION	DESCRIPTION	QTV	REMAR
6		Unipainted sleeve III		KUL
		TB 50-355-3,5	-	-
		Gost 19034-73: 22	1	
+++		700-88-05236109		
544		PARTS		-
	DESIGNATION	DESCRIPTION	QTY	REMAR
	700-22462	Miscellaneons Lims		
-4		Collar M#A-50		
		Standard 95		
4		COLLAR NALWY		
		MATERIAL		
5		Vire AKPIMO, 50163		Coat
		Gast 10:6-75 -1100		0,9
		Genet 1066-75 \$1200		0.9
6		Unpainted sleeve III		Val
		TB0-50-355-2,5		
		Gost 19034-73; +16	1	
		Gost		0.9
		700-83 66236-06 20	1	
		PARTS		
2	765-88-238	Retainer 636-10	1	
3	700-42-41	Ringes		
2	700-32-241	Retuiner	1	
112	700-12-43	Collar NºA 50	1	
		Standard 95		
		Nippellaneous itans	1	
4		Collar HM 80		1. 1. 1
	I	MATERIAL 95		ating
5		Wire AKPHNO, 5916388-		1.36
		Gost 1066-75 =1150		0,9
6		Unpainted sleeve III		ACTORY
1			OJEC IROAL	AD -
		2 350.355-3,5 G ost 19034-73		
	the second second	wat 19034475	4	
		700-88-66 23	6	
			1	135

FORMAN	ZONE	H Q	DESIGNATION	DESCRIPTION	QTV	REMARK
1	-	6		Slo-ve 111-78-55		
-			**	169 Gost 1066-75 e-1	50	1 039
		6	Sleeve III-TS-50-305+3,5	Gist -19034-796-37		
_				Gast -19034-750537	3	
				700-83-CF136-10		
				PARTS		
		3	700-42-42	Rine	1	
				Miscelluneous ite.s		
		4		Collar MAA-80	1	
				Standard 95	1	
	\vdash			MATERIAL	+	Goett
	T	5		Wire ALTON, 5 L63 GO	sT	0.9
				1065-75 1 1200	1	
					1	
		-			1	-
					-	
					-	
_	1					
_	+	+			-	
	╞				+	
-	┝			the second s	1	
	+				1	1
-	t				1	
	t					
	F	Ŧ		700-88-	сб ;	236
	-				SHT.N	0 NO.0FF
-		-	WIRE 7	P		FACTORY

	DIECT	ba					
	r 2 1 1 1 1 2 2 0 2 0 2 0 2 0 2 0 2 2 2 2	THUGO	WIRE TERMINATION				
		5230-88-(002				
		. n					
-							-
			Standard 299				
		213	Bushing BWP 32				
1.1		amet	Miscellaneous M	Contraction in the production			
1		2	700-88-CE239-13				
11680	L	- 150	T 84-9675 1800				
19.375			Sleeve 35: 20x2	4			
	L		0071 = T				
			52-9901 2800				
6.0		£970	WITERAKPHMO, 50				
Aniteo			MATERIAL		-		
					-		-
	L	S puepues	Collar_MXK A90. S		5		-
					-		
			Standard 299		-		-
	-	77%	Sr 9WE Bainaud		17	-	-
			Miscellaneous		-	-	-
-			and the second			-	-
-		071 . 1	11-6279088-004				-
<i>(</i> 10			Sleeve 5016x2			-	-
6.0	L		J 52-9901 1800		-	-	_
Buitsol	1	291 05	Wire AKHIM 0.		9		_
			JAIRE TAM	and the second			
			I de la companya de l				
ALC: N	L		Standard 95				
		06	Collar M XK A-	-3	5		
	L		Standard 299	-			
		212	es awa gainawa				
-		smeti	Miscellaneous				
		C	700-88-05239-10				
REMARK	VID		DESCRIPTION	DESIGNATION	NO	ZONE	FORM

STHE TO ON	133		NOITANINATION	IM				
	65	2 30-88-0 0.	L					Γ
					1	T	T	
in the second	-					T	T	1
- C	-							
	1		82-9675 3500					
		5	Sleeve Jo 24x			4		
-	- ·				-			
6'0	L	0521-1	52-9901 2500	and the second s				
gaiteou			0°2163					
						9		
			SIAIRATAM					
	+ +		(6					
	L	071	Standard 95		_			
		006	Collar MW A-					
	L		665 brebnet8		+	┝		
111.0			B P 32x28			t		ł
			Surusng		-	t		
		amett a	Miscellaneous					
-		٤١-	700-88-C5239-			T		
	L	K = 150	82-9675 2800		-			
			SLeeve Jc. 16		1	-		
						+		
	L		0011 = 2		-	+		
			52-9901 1800	-	-			
6.0		£9705*	WireA KPHM 0		-			
Coatin			MATERIAL	*		-		
					4			
	6		Standard 95					
			OST-A XK M					
			Collar		5		_	
						N	-	
REMARK	110	N	DESCRIPTIO	DE SIGNATION	NO	ONE	DRMM	-

1.124	751	NANGRO 089	NOITANIMAAT	MIRE			
	539	200-88-00L					T
						T	
	+				_		
	+					╞	+
						+	\square
						ŀ	H
						┝	H
						╀	+
						-	-
						-	-
					-	⊢	┢╌┝╴
					-	┝	\vdash
					+	┝	H
					-	+	\vdash
		and the second			-	+	H
1						1	\vdash
					-		H
						t	H
	L	12=120	82-9645 2800				
			Sc Sox2				
4			Sleeve				
	\vdash						
	L		00£L = J				
6.0			52-9901 1800				
		FAIV?	Wire Akphn 0		9		
gaiteo:			Materials		9		
	L		Standard 95	3			
		-150	Collar M % A		5		
	L		Bushing Bushing 299		-		
			a second s		7		
		76	-62240-88-007		-	-	-
REMARK	NTO	NC	DESCRIPTIC	DESIGNATION	REF	TONE	LINNO

0	ZON	2	DESIGNATION	DESCRIPTION	QTV	REMAR
		6		Unpainted sleeve III		
				TO 50-355-3,5	1	1
-	+	-		Gost 19034-73: 22	1	1 - 1 × 2
	+	1		700-88-C5236+09 PARTS		
+	+	2	765-88-61			
+	+	-	700-42-42	Retainer .		And
	t	1	100-42-42	Ring	1	
	1	1		Miscellaneous 1tems		-
+	+	4		Collar MA-60		1.20
+	+	+		Standard 95		
+	+	+		MATERIAL		Coat
	t	1		· WireARPHNO, 50163		GOBU
1	+	-	100	Gust 1066-75 1200		0.9
	T					V. 3
		6		Unpaintedsleeve III		
				TB-50-355-3,5		
				Gost		
+	-	+		19034-73 20	1	
+	+	+	No. of Concession	700-88-0 236-10	-	
+	+		and the second second	FARTS		
1	2	ľ	700-32-241	Retainer	1	*.
Contraction of the local division of the loc	3		700-42-43	Ring	1	and a
-	+	-	A DE CONTRACTOR			3
+	+			Miscellaneous items	-	
-	4			Collar M#A-80 Standard 95		*
				700-88-0		ND.0FF SH
				WIRE TERMINATION ORDNAN	OJEC	ACTORY